

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા : ૦૩.૦૭.૧૩ થી ૦૭.૦૭.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	10.6
મહત્તમ તાપમાન (સે.ગે.)	31.3
લઘુતમ તાપમાન (સે.ગ્રે.)	25.6
ભેજ(%) (સવાર/બપોરબાદ)	75-95
પવનની ગતિ (કિમી/કલાક)	8.8

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૦૭.૦૭.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૦૩.૦૭.૧૩	૨	૨
	૦૪.૦૭.૧૩	૨	૩
	૦૫.૦૭.૧૩	૨	૨
	૦૬.૦૭.૧૩	૩	૨
	૦૭.૦૭.૧૩	૪	૩
મહત્તમ તાપમાન (સે.ગ્રે.)	૦૩.૦૭.૧૩	૨૯	૩૨
	૦૪.૦૭.૧૩	૨૯	૩૨
	૦૫.૦૭.૧૩	૨૯	૩૨
	૦૬.૦૭.૧૩	૨૯	૩૨
	૦૭.૦૭.૧૩	૨૯	૩૨
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૦૩.૦૭.૧૩	૨૮	૨૯
	૦૪.૦૭.૧૩	૨૭	૨૯
	૦૫.૦૭.૧૩	૨૭	૨૮
	૦૬.૦૭.૧૩	૨૭	૨૮
	૦૭.૦૭.૧૩	૨૭	૨૮
વાદળની સ્થિતિ (ઓકટા)	૦૩.૦૭.૧૩	વાદળછાયુ	વાદળછાયુ
	૦૪.૦૭.૧૩	વાદળછાયુ	વાદળછાયુ
	૦૫.૦૭.૧૩	વાદળછાયુ	વાદળછાયુ
	૦૬.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૦૭.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
મહત્તમ ભેજ (%)	૦૩.૦૭.૧૩	૮૧	૮૦
	૦૪.૦૭.૧૩	૮૧	૮૧
	૦૫.૦૭.૧૩	૮૧	૮૧
	૦૬.૦૭.૧૩	૮૦	૮૦
	૦૭.૦૭.૧૩	૮૦	૮૦
લઘુત્તમ ભેજ (%)	૦૩.૦૭.૧૩	૭૬	૭૫
	૦૪.૦૭.૧૩	૭૬	૭૬
	૦૫.૦૭.૧૩	૭૭	૭૬
	૦૬.૦૭.૧૩	૭૪	૭૩
	૦૭.૦૭.૧૩	૭૩	૭૨
પવનની ગતિ (કિમી/કલાક)	૦૩.૦૭.૧૩	૦૩૨	૦૩૧
	૦૪.૦૭.૧૩	૦૩૧	૦૨૭
	૦૫.૦૭.૧૩	૦૩૧	૦૨૮
	૦૬.૦૭.૧૩	૦૩૨	૦૩૦
	૦૭.૦૭.૧૩	૦૩૪	૦૩૨
પવનની દિશા (ડીગ્રી)	૦૩.૦૭.૧૩	૨૬૭	૨૬૭
	૦૪.૦૭.૧૩	૨૬૧	૨૬૧
	૦૫.૦૭.૧૩	૨૫૫	૨૫૫
	૦૬.૦૭.૧૩	૨૪૬	૨૪૫
	૦૭.૦૭.૧૩	૨૪૦	૨૩૮

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	મગફળી	- આગોતરી વાવેલ મગફળીનાં પાકમા આંતરખેડ તથા હાથથી નિંદામણ કરવુ. - સમયસર / ચોમાસાનાં વાવેતરનાં પાકમાં જરૂરીયાત મુજબ ખાલા પૂરવા.
	કપાસ	- સમયસર / ચોમાસાનાં વાવેતરનાં પાકમાં જરૂરીયાત મુજબ ખાલા પૂરવા.
	કઠોળ પાકો	- મગ, મઠ, અડદ અને અન્ય કઠોળ પાકોમાં ભલામણ મુજબનાં અતરે છોડ રાખી વધારાનાં છોડ કાઢી નાખવા/પારવણી કરવી.
	પશુપાલન	પશુઓને યોગ્ય આહાર આપવો. મચ્છર અને માખીઓથી બચાવવા પશુઓની રહેવાની જગ્યા સ્વચ્છ રાખવી. ઢોરને ખરવા –મોવાસા અને ગળસૂંઢાની રસી મૂકાવવી. પશુઓના છાણ, મુત્ર અને વઘેલા ખોરાકનો યોગ્ય નિકાલ કરવો.

JUNAGADH

Phone: 0285-2670139

Date: 02-07-2013

(Period 03 to 07 July -2013)

Significant weather for the preceding week

Rain fall (mm)	10.6
Maximum temperature °C	31.0-31.8
Minimum temperature °C	25.3-26.0
RH % (Morning/Afternoon)	75-95
Wind speed (Kmph)	8.5-9.1
Cloud cover	5-7

Weather forecast for Junagadh Dist. until 08:30 hrs of 07- 07-2013

Parameters	Day-1 03-07-13	Day-2 04-07-13	Day-3 05-07-13	Day-4 06-07-13	Day-5 07-07-13
Rain fall (mm)	2	2	2	3	4
Maximum temperature °C	29	29	29	29	29
Minimum temperature °C	28	27	27	27	27
Cloud cover (Okta)	8	8	8	7	7
RH % (Morning/After noon)	81-76	81-76	81-77	80-74	80-73
Wind speed (Kmph)	032	031	031	032	034
Wind direction(Deg)	267	261	255	246	240

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Groundnut	Germination/ Vegetative	<ul style="list-style-type: none"> - Interculturing and hand weeding operations should be carried out in early sown crop. - If needed, gap filling should be done in timely sown crop.
Cotton	Germination/ Vegetative	<ul style="list-style-type: none"> - Interculturing and hand weeding operations should be carried out in early sown crop. - Gap filling should be done in timely sown crop.
Pulses	Germination/ Vegetative	<ul style="list-style-type: none"> - Thinning operation should be carried out by keeping the recommended distance between two plants in pulses crops.
Live stocks	-	Clean animal byres and spray neon insecticide 1 to 1.5ml per lit. of water for control the control of parasites in animal house. Due to chances of rainfall keep animals indoors during rainfall. Dispose the dung/urine left over the feed properly. Vaccinate animals against FMD and BQ to avoid disease outbreak during ensuing monsoon season. Provide 6-8 kg good quality dry roughage with 15-20 kg green fodder to the animals. Keep fodder in safe place to avoid spoilage due to rainfall. Keep animal shed hygienic and clean to avoid flies and mosquitoes.

PORBANDAR

Phone : 0285-2670139

Date : 02-07-2013

(Period 03 to 07 July -2013)

Weather forecast for Porbandar Dist. until 08:30 hrs of 07- 07-2013

Parameters	Day-1 03-07-13	Day-2 04-07-13	Day-3 05-07-13	Day-4 06-07-13	Day-5 07-07-13
Rain fall (mm)	2	3	2	2	3
Maximum temperature °C	32	32	32	32	32
Minimum temperature °C	29	29	28	28	28
Cloud cover (Okta)	8	8	8	7	6
RH % (Morning/After noon)	80-75	81-76	81-76	80-73	80-72
Wind speed (Kmph)	031	027	028	030	032
Wind direction(Deg)	267	261	255	245	238

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Groundnut	Germination/ Vegetative	<ul style="list-style-type: none">- Interculturing and hand weeding operations should be carried out in early sown crop.- If needed, gap filling should be done in timely sown crop.
Cotton	Germination/ Vegetative	<ul style="list-style-type: none">- Interculturing and hand weeding operations should be carried out in early sown crop.- Gap filling should be done in timely sown crop.
Pulses	Germination/ Vegetative	<ul style="list-style-type: none">- Thinning operation should be carried out by keeping the recommended distance between two plants in pulses crops.
Live stocks	-	Clean animal byres and spray neon insecticide 1 to 1.5ml per lit. of water for control the control of parasites in animal house. Due to chances of rainfall keep animals indoors during rainfall. Dispose the dung/urine left over the feed properly. Vaccinate animals against FMD and BQ to avoid disease outbreak during ensuing monsoon season. Provide 6-8 kg good quality dry roughage with 15-20 kg green fodder to the animals. Keep fodder in safe place to avoid spoilage due to rainfall. Keep animal shed hygienic and clean to avoid flies and mosquitoes.

