

પત્રક-અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન

(સમય તા : ૦૬.૦૪.૧૩ થી ૧૦.૦૪.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	૦૦૦.૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૩૭.૨
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૨.૦
ભેજ(%) (સવાર/બપોરબાદ)	૬૯-૧૭
પવનની ગતિ (કિમી/કલાક)	૬.૪

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૧૦.૦૪.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૦૬.૦૪.૧૩	૦	૦
	૦૭.૦૪.૧૩	૦	૦
	૦૮.૦૪.૧૩	૦	૦
	૦૯.૦૪.૧૩	૦	૦
	૧૦.૦૪.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૦૬.૦૪.૧૩	૩૦	૩૨
	૦૭.૦૪.૧૩	૩૦	૩૨
	૦૮.૦૪.૧૩	૩૧	૩૨
	૦૯.૦૪.૧૩	૩૦	૩૦
	૧૦.૦૪.૧૩	૩૦	૩૧
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૦૬.૦૪.૧૩	૨૧	૨૧
	૦૭.૦૪.૧૩	૨૧	૨૧
	૦૮.૦૪.૧૩	૨૨	૨૨
	૦૯.૦૪.૧૩	૨૧	૨૧
	૧૦.૦૪.૧૩	૨૧	૨૧
વાદળની સ્થિતિ (ઓકટા)	૦૬.૦૪.૧૩	મોટેભાગે ચોખ્ખું	ચોખ્ખું
	૦૭.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૮.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૯.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૧૦.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
મહત્તમ ભેજ (%)	૦૬.૦૪.૧૩	૬૬	૬૬
	૦૭.૦૪.૧૩	૬૬	૬૬
	૦૮.૦૪.૧૩	૬૬	૬૮
	૦૯.૦૪.૧૩	૮૨	૮૧
	૧૦.૦૪.૧૩	૭૩	૭૨
લઘુત્તમ ભેજ (%)	૦૬.૦૪.૧૩	૪૯	૪૦
	૦૭.૦૪.૧૩	૪૯	૪૫
	૦૮.૦૪.૧૩	૪૮	૪૫
	૦૯.૦૪.૧૩	૫૬	૫૫
	૧૦.૦૪.૧૩	૫૬	૫૪
પવનની ગતિ (કિમી/કલાક)	૦૬.૦૪.૧૩	૦૨૦	૦૨૦
	૦૭.૦૪.૧૩	૦૧૭	૦૧૮
	૦૮.૦૪.૧૩	૦૧૪	૦૧૩
	૦૯.૦૪.૧૩	૦૧૫	૦૧૪
	૧૦.૦૪.૧૩	૦૧૪	૦૧૪
પવનની દિશા (ડીગ્રી)	૦૬.૦૪.૧૩	૩૧૮	૩૨૦
	૦૭.૦૪.૧૩	૩૧૨	૩૧૩
	૦૮.૦૪.૧૩	૨૮૩	૨૮૮
	૦૯.૦૪.૧૩	૨૭૯	૨૮૧
	૧૦.૦૪.૧૩	૩૦૮	૩૦૮

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	શેરડી	- શેરડીના પાકમાં નિંદામણ દુર કરવું અને જમીનની પ્રત ધ્યાને લઈ ૧૦ થી ૧૨ દિવસે પિયત આપવું.
	ઉનાળુ મગફળી	- ઉનાળુ મગફળી ના પાકને નિંદામણ મુક્ત રાખવું અને ફુલ અવસ્થાએ અવશ્ય પિયત આપવું.
	આંબા	- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવું.
	ઉનાળુ ગુવાર	- પાકમાં આવતા ભુકીછારા રોગનાં નિયંત્રણ માટે હેકઝાકોનેઝોલ ૧૦ મીલી ૧૦ લીટર પાણીમાં મિશ્ર કરી છંટકાવ કરવો.

Junagadh

Phone: 0285-2670139

Date: 05-04-2013

(Period 06 to 10 April -2013)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	34.5-39.3
Minimum temperature °C	19.6-24.0
RH % (Morning/Afternoon)	69-17
Wind speed (Kmph)	5.5-7.1
Cloud cover	0-3

Weather forecast for Junagadh Dist. until 0830 hrs of 10- 04-2013

Parameters	Day-1 06-04-13	Day-2 07-04-13	Day-3 08-04-13	Day-4 09-04-13	Day-5 10-04-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	30	30	31	30	30
Minimum temperature °C	21	21	22	21	21
Cloud cover (Okta)	1	0	0	0	0
RH % (Morning/After noon)	66-49	66-49	66-48	82-56	73-56
Wind speed (Kmph)	020	017	014	015	014
Wind direction(Deg)	318	312	283	279	308

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Remove weed from the crop and apply irrigation at an interval of 10 to 12 days.
Summer Groundnut	Flowering	- Keep the crop weed free and apply irrigation at flowering stage.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.
Summer Cluster bean	Vegetative	- For the control of Powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.

Porbandar

Phone : 0285-2670139

Date : 05-04-2013

(Period 06 to 10 April -2013)

Weather forecast for Porbandar Dist. until 0830 hrs of 10- 04-2013

Parameters	Day-1 06-04-13	Day-2 07-04-13	Day-3 08-04-13	Day-4 09-04-13	Day-5 10-04-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	32	32	32	30	31
Minimum temperature °C	21	21	22	21	21
Cloud cover (Okta)	0	0	0	0	0
RH % (Morning/After noon)	66-40	66-45	68-45	81-55	72-54
Wind speed (Kmph)	020	018	013	014	014
Wind direction(Deg)	320	313	288	281	308

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Remove weed from the crop and apply irrigation at an interval of 10 to 12 days.
Summer Groundnut	Flowering	- Keep the crop weed free and apply irrigation at flowering stage.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.
Summer Cluster bean	Vegetative	- For the control of Powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.