

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન  
( સમય તા : ૧૦.૦૭.૧૩ થી ૧૪.૦૭.૧૩ )

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	021.2
મહત્તમ તાપમાન (સે.ગે.)	30.0
લઘુતમ તાપમાન (સે.ગ્રે.)	25.6
ભેજ(%) (સવાર/બપોરબાદ)	89-82
પવનની ગતિ (કિમી/કલાક)	5.9

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી ( તા.૧૪.૦૭.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૧૦.૦૭.૧૩	20	20
	૧૧.૦૭.૧૩	14	15
	૧૨.૦૭.૧૩	3	10
	૧૩.૦૭.૧૩	14	10
	૧૪.૦૭.૧૩	15	10
મહત્તમ તાપમાન (સે.ગ્રે.)	૧૦.૦૭.૧૩	29	31
	૧૧.૦૭.૧૩	29	31
	૧૨.૦૭.૧૩	29	30
	૧૩.૦૭.૧૩	29	30
	૧૪.૦૭.૧૩	29	30
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૦.૦૭.૧૩	26	25
	૧૧.૦૭.૧૩	26	25
	૧૨.૦૭.૧૩	27	26
	૧૩.૦૭.૧૩	26	26
	૧૪.૦૭.૧૩	26	26
વાદળની સ્થિતિ (ઓકટા)	૧૦.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૧૧.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૧૨.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૧૩.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૧૪.૦૭.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
મહત્તમ ભેજ (%)	૧૦.૦૭.૧૩	80	80
	૧૧.૦૭.૧૩	79	79
	૧૨.૦૭.૧૩	80	79
	૧૩.૦૭.૧૩	82	81
	૧૪.૦૭.૧૩	81	82
લઘુત્તમ ભેજ (%)	૧૦.૦૭.૧૩	74	74
	૧૧.૦૭.૧૩	75	75
	૧૨.૦૭.૧૩	73	72
	૧૩.૦૭.૧૩	73	72
	૧૪.૦૭.૧૩	76	75
પવનની ગતિ (કિમી/કલાક)	૧૦.૦૭.૧૩	036	033
	૧૧.૦૭.૧૩	033	030
	૧૨.૦૭.૧૩	030	028
	૧૩.૦૭.૧૩	033	030
	૧૪.૦૭.૧૩	031	027
પવનની દિશા (ડીગ્રી)	૧૦.૦૭.૧૩	250	251
	૧૧.૦૭.૧૩	250	248
	૧૨.૦૭.૧૩	252	251
	૧૩.૦૭.૧૩	260	260
	૧૪.૦૭.૧૩	257	257

**પત્રક-ક**  
**જિલ્લાવાર કૃષિ સલાહ**

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	મગફળી	- વરાપ થયે મગફળીનાં પાકમા આંતરખેડ તથા હાથથી નિંદામણ કરવું.
	કપાસ	- વરાપ થયે કપાસના પાકમા આંતરખેડ તથા હાથથી નિંદામણ કરવું. - પાક એક માસનો થાય એટલે પૂર્તિ ખાતરનો પ્રથમ હપ્તો હેક્ટરે ૮૮ કિગ્રા. યુરીયા (વિઘે ૧૪ કિગ્રા.) મુજબ આપવો.
	કઠોળ પાકો	- વરાપ થયે કઠોળ પાકોમા આંતરખેડ તથા હાથથી નિંદામણ કરવું.
	પશુપાલન	પશુઓને યોગ્ય આહાર આપવો. મચ્છર અને માખીઓથી બચાવવા પશુઓની રહેવાની જગ્યા સ્વચ્છ રાખવી. ઢોરને ખરવા -મોવાસા અને ગળસૂંઢાની રસી મૂકાવવી. પશુઓના છાણ, મુત્ર અને વઘેલા ખોરાકનો યોગ્ય નિકાલ કરવો.

## JUNAGADH

Phone: 0285-2670139

Date: 09-07-2013

(Period 10 to 14 July -2013)

### Significant weather for the preceding week

Rain fall (mm)	021.2
Maximum temperature °C	28.0-32.5
Minimum temperature °C	25.1-26.3
RH % (Morning/Afternoon)	89-82
Wind speed (Kmph)	3.7-7.4
Cloud cover	5-7

### Weather forecast for Junagadh Dist. until 08:30 hrs of 14- 07-2013

Parameters	Day-1 10-07-13	Day-2 11-07-13	Day-3 12-07-13	Day-4 13-07-13	Day-5 14-07-13
Rain fall (mm)	20	14	3	14	15
Maximum temperature °C	29	29	29	29	29
Minimum temperature °C	26	26	27	26	26
Cloud cover (Okta)	7	7	7	7	7
RH % (Morning/After noon)	80-74	79-75	80-73	82-73	81-76
Wind speed (Kmph)	036	033	030	033	031
Wind direction(Deg)	250	250	252	260	257

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
<b>Groundnut</b>	Vegetative	- Interculturing and hand weeding operations should be carried.
<b>Cotton</b>	Vegetative	- Interculturing and hand weeding operations should be carried out. - Apply top dressing of fertilizer in the form of urea @ 88 kg/ha after one month of sowing of the crop.
<b>Pulses</b>	Vegetative	- Interculturing and hand weeding operations should be carried out.
<b>Sesame</b>	Vegetative	- Interculturing and hand weeding operations should be carried out.
<b>Pearl millet</b>	Vegetative	- Interculturing and hand weeding operations should be carried out.
<b>Live stocks</b>	-	Clean animal byres and spray neon insecticide 1 to 1.5ml per lit. of water for control the control of parasites in animal house. Due to chances of rainfall keep animals indoors during rainfall. Dispose the dung/urine left over the feed properly. Vaccinate animals against FMD and BQ to avoid disease outbreak during ensuing monsoon season. Provide 6-8 kg good quality dry roughage with 15-20 kg green fodder to the animals. Keep fodder in safe place to avoid spoilage due to rainfall. Keep animal shed hygienic and clean to avoid flies and

		mosquitoes.
--	--	-------------

## PORBANDAR

Phone : 0285-2670139

Date : 09-07-2013

(Period 10 to 14 July -2013)

### Weather forecast for **Porbandar** Dist. until 08:30 hrs of 14- 07-2013

Parameters	Day-1 10-07-13	Day-2 11-07-13	Day-3 12-07-13	Day-4 13-07-13	Day-5 14-07-13
Rain fall (mm)	20	15	10	10	10
Maximum temperature °C	31	31	30	30	30
Minimum temperature °C	25	25	26	26	26
Cloud cover (Okta)	6	7	7	7	7
RH % (Morning/After noon)	80-74	79-75	79-72	81-72	82-75
Wind speed (Kmph)	033	030	028	030	027
Wind direction(Deg)	251	248	251	260	257

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
<b>Groundnut</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition.
<b>Cotton</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition. - Apply top dressing of fertilizer in the form of urea @ 88 kg/ha after one month of sowing of the crop.
<b>Pulses</b>	Vegetative	- Interculturing and hand weeding operations should be carried out after vapsa condition. -
<b>Sesame</b>	Vegetative	- Interculturing and hand weeding operations should be carried out.
<b>Pearl millet</b>	Vegetative	- Interculturing and hand weeding operations should be carried out.
<b>Live stocks</b>	-	Clean animal byres and spray neon insecticide 1 to 1.5ml per lit. of water for control the control of parasites in animal house. Due to chances of rainfall keep animals indoors during rainfall. Dispose the dung/urine left over the feed properly. Vaccinate animals against FMD and BQ to avoid disease outbreak during ensuing monsoon season. Provide 6-8 kg good quality dry roughage with 15-20 kg green fodder to the animals. Keep fodder in safe place to avoid spoilage due to rainfall. Keep animal shed hygienic and clean to avoid flies and mosquitoes.

