

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન  
( સમય તા: ૧૦.૧૦.૧૨ થી ૧૪.૧૦.૧૨ )

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગ્રે.)	36.7
લઘુત્તમ તાપમાન (સે.ગ્રે.)	24.8
ભેજ(%) (સવાર/બપોરબાદ)	71-37
પવનની ગતિ (કિમી/કલાક)	4.0

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી ( તા.૧૪.૧૦.૧૨ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૧૦.૧૦.૧૨	૦	૦
	૧૧.૧૦.૧૨	૦	૦
	૧૨.૧૦.૧૨	૦	૦
	૧૩.૧૦.૧૨	૦	૦
	૧૪.૧૦.૧૨	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૧૦.૧૦.૧૨	૩૪	૩૫
	૧૧.૧૦.૧૨	૩૫	૩૫
	૧૨.૧૦.૧૨	૩૩	૩૩
	૧૩.૧૦.૧૨	૩૩	૩૨
	૧૪.૧૦.૧૨	૩૨	૩૧
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૦.૧૦.૧૨	૨૮	૨૬
	૧૧.૧૦.૧૨	૨૮	૨૬
	૧૨.૧૦.૧૨	૨૮	૨૪
	૧૩.૧૦.૧૨	૨૬	૨૫
	૧૪.૧૦.૧૨	૨૭	૨૪
વાદળની સ્થિતિ (ઓકટા)	૧૦.૧૦.૧૨	ચોખ્ખું	ચોખ્ખું
	૧૧.૧૦.૧૨	અંશત: વાદળછાયુ	અંશત: વાદળછાયુ
	૧૨.૧૦.૧૨	ચોખ્ખું	ચોખ્ખું
	૧૩.૧૦.૧૨	ચોખ્ખું	ચોખ્ખું
	૧૪.૧૦.૧૨	અંશત: વાદળછાયુ	અંશત: વાદળછાયુ
મહત્તમ ભેજ (%)	૧૦.૧૦.૧૨	૮૨	૬૮
	૧૧.૧૦.૧૨	૮૨	૭૦
	૧૨.૧૦.૧૨	૬૩	૫૫
	૧૩.૧૦.૧૨	૭૬	૮૮
	૧૪.૧૦.૧૨	૮૬	૯૦
લઘુત્તમ ભેજ (%)	૧૦.૧૦.૧૨	૬૮	૫૨
	૧૧.૧૦.૧૨	૬૭	૫૭
	૧૨.૧૦.૧૨	૬૦	૪૯
	૧૩.૧૦.૧૨	૬૮	૬૩
	૧૪.૧૦.૧૨	૭૦	૬૭
પવનની ગતિ (કિમી/કલાક)	૧૦.૧૦.૧૨	૦૧૨	૦૦૮
	૧૧.૧૦.૧૨	૦૦૯	૦૦૭
	૧૨.૧૦.૧૨	૦૧૩	૦૧૦
	૧૩.૧૦.૧૨	૦૦૮	૦૦૫
	૧૪.૧૦.૧૨	૦૦૮	૦૦૪
પવનની દિશા (ડીગ્રી)	૧૦.૧૦.૧૨	૩૦૪	૧૮૦
	૧૧.૧૦.૧૨	૨૬૩	૧૦૯
	૧૨.૧૦.૧૨	૩૨૮	૧૮૬
	૧૩.૧૦.૧૨	૨૯૨	૧૦૨
	૧૪.૧૦.૧૨	૨૭૮	૨૨૬

**પત્રક-ક**  
**જિલ્લાવાર કૃષિ સલાહ**

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	કપાસ	- પાન ના ટપકાના રોગના નિયંત્રણ માટે મેન્કોઝેબ ૫ % વે.પા. દવા ૨૫ ગ્રામ અથવા હેકઝાકોનાઝોલ ૫% ઈ.સી. ૧૦ મીલી. દવા નો ૧૦ લિટર પાણીમા દ્રાવણ બનાવી છંટકાવ કરવો.
	મગફળી	- પાક પરીપકવ થયે સમયસર કાપણી કરવી.
	દિવેલા	- દિવેલા ની માળો પરીપકવ થયે કાળજી પુર્વક ઉતારી લેવી.
	શાકભાજી	- શાકભાજીના પાકોમા જરૂરીયાત મુજબ નિંદામણ કરવુ. - શાકભાજીના પાકોમા જરૂરીયાત મુજબ પિયત આપવુ.

## Junagadh

Phone: 0285-2670139

Date : 09-10-2012

(Period 10 to 14 October -2012)

### Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature <sup>0</sup> C	34.3-38.0
Minimum temperature <sup>0</sup> C	23.5-25.6
RH % (Morning/Afternoon)	71-37
Wind speed (Kmph)	3.1-4.8
Cloud cover	2-4

### Weather forecast for Junagadh Dist. until 0830 hrs of 14-10-2012

Parameters	Day-3 10-10-12	Day-4 11-10-12	Day-5 12-10-12	Day-3 13-10-12	Day-4 14-10-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature <sup>0</sup> C	34	35	33	33	32
Minimum temperature <sup>0</sup> C	28	28	28	26	27
Cloud cover (Okta)	0	1	0	0	2
RH % (Morning/After noon)	82-68	82-67	63-60	76-68	86-70
Wind speed (Kmph)	012	009	013	008	008
Wind direction(Deg)	304	263	328	292	278

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cotton	Ball formation	- For the control of leaf spot daisies, spray Mencozeb 5% W.P. 25 gm or Hexaconazole 5% EC 10 ml in 10 liter of water.
Ground nut	Harvesting	- At ripening Stage, harvest the crop timely.
Castor	Branching/Capsule development	- The ripening spiklets should be harvest in time.
Vegetables	-	- Carry out hand weeding in vegetable crops. - Apply irrigation as and when required.

## Porbandar

Phone : 0285-2670139

Date : 09-10-2012

(Period 10 to 14 October -2012)

### Weather forecast for Porbandar Dist. until 0830 hrs of 14-10-2012

Parameters	Day-3 10-10-12	Day-4 11-10-12	Day-5 12-10-12	Day-3 13-10-12	Day-4 14-10-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	35	35	33	32	31
Minimum temperature °C	26	26	24	25	24
Cloud cover (Okta)	0	2	0	0	5
RH % (Morning/After noon)	64-52	70-57	55-49	88-63	90-67
Wind speed (Kmph)	008	007	010	005	004
Wind direction(Deg)	180	109	186	102	226

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cotton	Ball formation	- For the control of leaf spot daisies, spray Mencozeb 5% W.P. 25 gm or Hexaconazole 5% EC 10 ml in 10 liter of water.
Ground nut	Harvesting	- At ripening Stage, harvest the crop timely.
Castor	Branching/Capsule development	- The ripening spiklets should be harvest in time.
Vegetables	-	- Carry out hand weeding in vegetable crops. - Apply irrigation as and when required.