

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા : ૧૧.૦૫.૧૩ થી ૧૫.૦૫.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગે.)	40.7
લઘુતમ તાપમાન (સે.ગ્રે.)	24.3
ભેજ(%) (સવાર/બપોરબાદ)	84-27.7
પવનની ગતિ (કિમી/કલાક)	7.6

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૧૫.૦૫.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૧૧.૦૫.૧૩	૦	૦
	૧૨.૦૫.૧૩	૦	૦
	૧૩.૦૫.૧૩	૦	૦
	૧૪.૦૫.૧૩	૦	૦
	૧૫.૦૫.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૧૧.૦૫.૧૩	૩૮	૩૪
	૧૨.૦૫.૧૩	૩૮	૩૪
	૧૩.૦૫.૧૩	૩૭	૩૫
	૧૪.૦૫.૧૩	૩૭	૩૫
	૧૫.૦૫.૧૩	૩૮	૩૪
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૧.૦૫.૧૩	૨૫	૨૪
	૧૨.૦૫.૧૩	૨૬	૨૫
	૧૩.૦૫.૧૩	૨૬	૨૫
	૧૪.૦૫.૧૩	૨૭	૨૬
	૧૫.૦૫.૧૩	૨૭	૨૬
વાદળની સ્થિતિ (ઓકટા)	૧૧.૦૫.૧૩	અંશત: વાદળછાય	મોટેભાગે ચોખ્ખું
	૧૨.૦૫.૧૩	અંશત: વાદળછાય	અંશત: વાદળછાયુ
	૧૩.૦૫.૧૩	અંશત: વાદળછાય	અંશત: વાદળછાયું
	૧૪.૦૫.૧૩	મોટેભાગે ચોખ્ખું	અંશત: વાદળછાયું
	૧૫.૦૫.૧૩	અંશત: વાદળછાયું	મોટેભાગે વાદળછાય
મહત્તમ ભેજ (%)	૧૧.૦૫.૧૩	૮૬	૮૭
	૧૨.૦૫.૧૩	૮૫	૮૫
	૧૩.૦૫.૧૩	૮૬	૮૬
	૧૪.૦૫.૧૩	૮૬	૮૭
	૧૫.૦૫.૧૩	૮૭	૯૦
લઘુત્તમ ભેજ (%)	૧૧.૦૫.૧૩	૭૧	૬૮
	૧૨.૦૫.૧૩	૬૯	૬૪
	૧૩.૦૫.૧૩	૭૧	૬૬
	૧૪.૦૫.૧૩	૭૨	૬૭
	૧૫.૦૫.૧૩	૭૨	૬૮
પવનની ગતિ (કિમી/કલાક)	૧૧.૦૫.૧૩	૦૧૯	૦૧૩
	૧૨.૦૫.૧૩	૦૨૧	૦૧૪
	૧૩.૦૫.૧૩	૦૧૭	૦૧૧
	૧૪.૦૫.૧૩	૦૧૮	૦૧૨
	૧૫.૦૫.૧૩	૦૧૯	૦૧૪
પવનની દિશા (ડીગ્રી)	૧૧.૦૫.૧૩	૨૭૬	૨૭૧
	૧૨.૦૫.૧૩	૨૪૬	૨૩૭
	૧૩.૦૫.૧૩	૨૬૯	૨૭૦
	૧૪.૦૫.૧૩	૨૮૮	૨૯૩
	૧૫.૦૫.૧૩	૨૯૯	૩૦૫

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	શેરડી	- જમીનની પ્રત ધ્યાને લઈ ૮ થી ૧૦ દિવસે પિયત આપવું.
	ઉનાળુ મગફળી	- ઉનાળુ મગફળી ના પાકને ડોડવાના વિકાસની અવસ્થાએ અવશ્ય પિયત આપવું.
	ઉનાળુ બાજરી	- વધારે તાપમાનને કારણે/ વધારે ગરમીના લીધે દાણા બેસવાની અવસ્થાએ પાકને ટૂંકા ગાળે પિયત આપવું.
	ઉનાળુ ગુવાર	- પાકને શીંગોના વિકાસની અવસ્થાએ અવશ્ય પિયત આપવું.
	આંબા	- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવું. - પરીપકવ કેરી ઉતારી અને ગ્રેડીંગ કરી બજારમા મોકલવી.

JUNAGADH

Phone: 0285-2670139

Date: 10-05-2013

(Period 11 to 15 May -2013)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	40.0-41.5
Minimum temperature °C	24.0-25.0
RH % (Morning/Afternoon)	24-84
Wind speed (Kmph)	6.8-9.0
Cloud cover	1-2

Weather forecast for Junagadh Dist. until 08:30 hrs of 15- 05-2013

Parameters	Day-1 11-05-13	Day-2 12-05-13	Day-3 13-05-13	Day-4 14-05-13	Day-5 15-05-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	38	38	37	37	38
Minimum temperature °C	25	26	26	27	27
Cloud cover (Okta)	3	3	3	2	3
RH % (Morning/After noon)	86-71	85-69	86-71	86-72	87-72
Wind speed (Kmph)	019	021	017	018	019
Wind direction(Deg)	276	246	269	288	299

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Pod development	- Apply irrigation at pod development stage.
Summer Cluster bean	Pod development	- Apply irrigation at pod development stage.
Summer Pearl millet	Grain filling	- Due to rise in temperature, apply irrigation to the crop at grain filling stage.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days. - The matured fruits should be harvested and after grading fruits should be sent to the market.

PORBANDAR

Phone : 0285-2670139

Date : 10-05-2013

(Period 11 to 15 May -2013)

Weather forecast for Porbandar Dist. until 08:30 hrs of 15- 05-2013

Parameters	Day-1 11-05-13	Day-2 12-05-13	Day-3 13-05-13	Day-4 14-05-13	Day-5 15-05-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	34	34	35	35	34
Minimum temperature °C	24	25	25	26	26
Cloud cover (Okta)	2	4	3	3	6
RH % (Morning/After noon)	87-68	85-64	86-66	87-67	90-68
Wind speed (Kmph)	013	014	011	012	014
Wind direction(Deg)	271	237	270	293	305

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Pod development	- Apply irrigation at pod development stage.
Summer Cluster bean	Pod development	- Apply irrigation at pod development stage.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days. - The matured fruits should be harvested and after grading fruits should be sent to the market.