

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન

(સમય તા:૧૨.૧૨.૧૨ થી ૧૬.૧૨.૧૨)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગે.)	31.6
લઘુત્તમ તાપમાન (સે.ગ્રે.)	20.0
ભેજ(%) (સવાર/બપોરબાદ)	85-30
પવનની ગતિ (કિમી/કલાક)	4.0

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૧૬.૧૨.૧૨ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૧૨.૧૨.૧૨	૦	૦
	૧૩.૧૨.૧૨	૦	૦
	૧૪.૧૨.૧૨	૦	૦
	૧૫.૧૨.૧૨	૦	૦
	૧૬.૧૨.૧૨	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૧૨.૧૨.૧૨	૩૧	૩૦
	૧૩.૧૨.૧૨	૩૧	૩૦
	૧૪.૧૨.૧૨	૩૦	૨૯
	૧૫.૧૨.૧૨	૨૮	૨૮
	૧૬.૧૨.૧૨	૨૯	૨૯
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૨.૧૨.૧૨	૨૦	૨૦
	૧૩.૧૨.૧૨	૨૧	૨૧
	૧૪.૧૨.૧૨	૨૦	૨૦
	૧૫.૧૨.૧૨	૨૦	૨૦
	૧૬.૧૨.૧૨	૨૧	૨૦
વાદળની સ્થિતિ (ઓકટા)	૧૨.૧૨.૧૨	ચોખ્ખું	ચોખ્ખું
	૧૩.૧૨.૧૨	ચોખ્ખું	ચોખ્ખું
	૧૪.૧૨.૧૨	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૧૫.૧૨.૧૨	અંશતઃ વાદળછાયુ	મોટેભાગે ચોખ્ખું
	૧૬.૧૨.૧૨	અંશતઃ વાદળછાયુ	અંશતઃ વાદળછાયુ
મહત્તમ ભેજ (%)	૧૨.૧૨.૧૨	૬૧	૬૦
	૧૩.૧૨.૧૨	૭૦	૭૪
	૧૪.૧૨.૧૨	૭૫	૭૪
	૧૫.૧૨.૧૨	૭૯	૮૩
	૧૬.૧૨.૧૨	૬૬	૬૫
લઘુત્તમ ભેજ (%)	૧૨.૧૨.૧૨	૫૮	૪૭
	૧૩.૧૨.૧૨	૬૬	૬૪
	૧૪.૧૨.૧૨	૭૧	૬૮
	૧૫.૧૨.૧૨	૫૧	૪૨
	૧૬.૧૨.૧૨	૩૯	૨૬
પવનની ગતિ (કિમી/કલાક)	૧૨.૧૨.૧૨	૦૧૪	૦૧૦
	૧૩.૧૨.૧૨	૦૧૩	૦૧૦
	૧૪.૧૨.૧૨	૦૧૨	૦૦૯
	૧૫.૧૨.૧૨	૦૧૨	૦૦૮
	૧૬.૧૨.૧૨	૦૨૨	૦૧૬
પવનની દિશા (ડીગ્રી)	૧૨.૧૨.૧૨	૧૭૫	૧૮
	૧૩.૧૨.૧૨	૨૯૮	૩૧૪
	૧૪.૧૨.૧૨	૨૬૫	૨૪૬
	૧૫.૧૨.૧૨	૩૩૩	૨૬૫
	૧૬.૧૨.૧૨	૨૬	૨૭

પત્રક-ક

જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	જીરૂ	- ૩૫ થી ૪૦ દિવસના જીરા ના પાક મા ચર્મી રોગ ના નિયંત્રણ માટે મેન્કોઝેબ ૨૫ ગ્રામ ૧૦ લીટર પાણીમા ભેળવી છંટકાવ કરવો.
	દિવેલા	- દિવેલા ની માળો પરીપકવ થયે કાળજી પુર્વક ઉતારી લેવી.
	શેરડી	- જમીનની પ્રત મુજબ ૬ થી ૭ દિવસે પીયત આપવું. - વાવેતર સમય ધ્યાને લઈ પૂર્તિ ખાતર નો પ્રથમ હપ્તો ૩૦ થી ૪૫ દિવસે હેક્ટર દીઠ ૧૬૨ કિ.ગ્રા. યુરીયા અથવા ૩૭૫ કિ.ગ્રા. એમોનીયમ સલ્ફેટ આપવું.
	કપાસ	- કપાસના પાકને એકાંતરે પાટલે પીયત આપવું. - કપાસનો પાક જેમ જેમ પાકતો જાય તેમ તેમ કપાસ ની વીણી વહેલી સવારે કરવી.

Phone: 0285-2670139

Date: 11-12-2012

(Period 12 December to 16 December -2012)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	32.0-31.8
Minimum temperature °C	18.4-21.0
RH % (Morning/Afternoon)	85-30
Wind speed (Kmph)	3.2-5.1
Cloud cover	0-2

Weather forecast for Junagadh Dist. until 0830 hrs of 16-12-2012

Parameters	Day-1 12-12-12	Day-2 13-12-12	Day-3 14-12-12	Day-4 15-12-12	Day-5 16-12-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	31	31	30	28	29
Minimum temperature °C	20	21	20	20	21
Cloud cover (Okta)	0	0	1	4	3
RH % (Morning/After noon)	61-58	70-66	75-71	79-51	66-39
Wind speed (Kmph)	014	013	012	012	022
Wind direction(Deg)	175	298	265	333	26

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cumin		- For the control of Blight disease, spray Mencozeb @ 25 gm in 10 liter of water. after 35 to 40 DAS.
Castor	Harvesting	- The ripening spiklets should be harvest in time.
Sugarcane	-	- Apply irrigation at an interval of 6 to 7 day. - Apply top dressing fertilizer @ 162 kg/ha after 30 to 45 DAS.
Cotton		- Apply irrigation as a when required. - Harvest the crop early in the morning.

Porbandar

Phone : 0285-2670139

Date 11-12-2012

(Period 12 December to 16 December -2012)

Weather forecast for **Porbandar** Dist. until 0830 hrs of 16-12-2012

Parameters	Day-1 12-12-12	Day-2 13-12-12	Day-3 14-12-12	Day-4 15-12-12	Day-5 16-12-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature ⁰ C	30	30	29	28	29
Minimum temperature ⁰ C	20	21	20	20	20
Cloud cover (Okta)	0	0	1	2	4
RH % (Morning/After noon)	60-47	74-64	74-68	83-42	65-26
Wind speed (Kmph)	010	010	009	008	016
Wind direction(Deg)	18	314	246	265	27

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Cumin		- For the control of Blight disease, spray Mencozeb @ 25 gm in 10 liter of water. after 35 to 40 DAS.
Castor	Harvesting	- The ripening spiklets should be harvest in time.
Sugarcane	-	- Apply irrigation at an interval of 6 to 7 day. - Apply top dressing fertilizer @ 162 kg/ha after 30 to 45 DAS.
Cotton		- Apply irrigation as a when required. - Harvest the crop early in the morning.