

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિસલાહ બુલેટીન
(સમય તા : ૧૯.૦૬.૧૩ થી ૨૩.૦૬.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિઆબોહવાકિયવિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	158.5
મહત્તમ તાપમાન (સે.ગ્રે.)	33.5
લઘુત્તમ તાપમાન (સે.ગ્રે.)	25.3
ભેજ(%) (સવાર/બપોરબાદ)	89/88
પવનની ગતિ(કિમી/કલાક)	5.1

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૨૩.૦૬.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૧૯.૦૬.૧૩	45	45
	૨૦.૦૬.૧૩	11	5
	૨૧.૦૬.૧૩	4	3
	૨૨.૦૬.૧૩	0	0
	૨૩.૦૬.૧૩	0	0
મહત્તમ તાપમાન (સે.ગ્રે.)	૧૯.૦૬.૧૩	29	30
	૨૦.૦૬.૧૩	29	30
	૨૧.૦૬.૧૩	29	31
	૨૨.૦૬.૧૩	29	31
	૨૩.૦૬.૧૩	29	30
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૯.૦૬.૧૩	27	28
	૨૦.૦૬.૧૩	27	28
	૨૧.૦૬.૧૩	27	28
	૨૨.૦૬.૧૩	27	28
	૨૩.૦૬.૧૩	27	28
વાદળની સ્થિતિ (ઓકટા)	૧૯.૦૬.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
	૨૦.૦૬.૧૩	અંશતઃ વાદળછાયુ	અંશતઃ વાદળછાયુ
	૨૧.૦૬.૧૩	અંશતઃ વાદળછાયુ	અંશતઃ વાદળછાયુ
	૨૨.૦૬.૧૩	અંશતઃ વાદળછાયુ	અંશતઃ વાદળછાયુ
	૨૩.૦૬.૧૩	અંશતઃ વાદળછાયુ	અંશતઃ વાદળછાયુ
મહત્તમ ભેજ (%)	૧૯.૦૬.૧૩	81	80
	૨૦.૦૬.૧૩	80	79
	૨૧.૦૬.૧૩	80	80
	૨૨.૦૬.૧૩	80	80
	૨૩.૦૬.૧૩	81	81
લઘુત્તમ ભેજ (%)	૧૯.૦૬.૧૩	74	73
	૨૦.૦૬.૧૩	70	68
	૨૧.૦૬.૧૩	72	70
	૨૨.૦૬.૧૩	73	71
	૨૩.૦૬.૧૩	72	71
પવનની ગતિ(કિમી/કલાક)	૧૯.૦૬.૧૩	021	202
	૨૦.૦૬.૧૩	019	017
	૨૧.૦૬.૧૩	023	022
	૨૨.૦૬.૧૩	026	024
	૨૩.૦૬.૧૩	025	024
પવનની દિશા (ડીગ્રી)	૧૯.૦૬.૧૩	240	231
	૨૦.૦૬.૧૩	237	234
	૨૧.૦૬.૧૩	237	234
	૨૨.૦૬.૧૩	244	243
	૨૩.૦૬.૧૩	240	239

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
	મગફળી	<ul style="list-style-type: none">- વરાપ થયે મગફળીનું વાવેતર કરવું.- આ માટે મગફળીની વહેલી જાતો જેમકે જી.એ.યુ.જી-૧૦, જીજી-૧૧, ૧૨, અથવા જીજી-૧૩ જાતો પૈકી કોઈ એક જાતની પસંગી કરવી.- બિયારણનો દર ૮૦ થી ૧૦૦ કિગ્રા પ્રતિ હેક્ટર રાખવો.- વાવેતરપહેલાં ૧૨.૫ કિલો નાઈટ્રોજન અને ૨૫ કિલો ફોસ્ફરસ પ્રતિ હેક્ટર દીઠ આપવું.
	કપાસ	<ul style="list-style-type: none">- વરાપ થયે કપાસનું વાવેતર કરવું.- બિયારણનો દર ૨ થી ૨.૫ કિગ્રા પ્રતિ હેક્ટર રાખવો અને વાવેતર અંતર ૧૨૦ × ૬૦ સેમી. રાખવું.
	કઠોળ પાકો	<ul style="list-style-type: none">- વરાપ થયે કઠોળ પાકોનું વાવેતર કરવું.

JUNAGADH

Phone: 0285-2670139

Date:18-06-2013

(Period 19 to 23 June-2013)

Significant weather for the preceding week

Rain fall (mm)	158.5
Maximum temperature °C	32.0-34.5
Minimum temperature °C	23.0-27.0
RH % (Morning/Afternoon)	89/88
Wind speed (Kmph)	4.5-6.3
Cloud cover	6-8

Weather forecast for Junagadh Dist. until 08:30 hrs of 23- 06-2013

Parameters	Day-1 19-06-13	Day-2 20-06-13	Day-3 21-06-13	Day-4 22-06-13	Day-5 23-06-13
Rain fall (mm)	45	11	4	0	0
Maximum temperature °C	29	29	29	29	29
Minimum temperature °C	27	27	27	27	27
Cloud cover (Okta)	6	4	3	4	4
RH % (Morning/After noon)	81/74	80/70	80/72	80/73	81/72
Wind speed (Kmph)	021	019	023	026	025
Wind direction(Deg)	240	237	237	244	240

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Groundnut	Sowing	<ul style="list-style-type: none">- After vapsa condition, sowing of groundnut should be carried out.- Select variety like GAUG-10, GG-11, 12 or GG13 for sowing purpose.- Keep seed rate 80-100 kg/ha.- Apply fertilizer @12.5 -25 -0 NPK kg/ha at the time of sowing.
Cotton	Sowing	<ul style="list-style-type: none">- After vapsa condition, sowing of cotton should be carried out.- Keep seed rate 2 - 2.5 kg/ha and sowing distance should be kept 120cm x 60cm.
Pulses	Sowing	<ul style="list-style-type: none">- After vapsa condition, sowing of pulses should be carried out.

PORBANDAR

Phone : 0285-2670139

Date : 18-06-2013

(Period 19 to 23 June -2013)

Weather forecast for Porbandar Dist. until 08:30 hrs of 23- 06-2013

Parameters	Day-1 19-06-13	Day-2 20-06-13	Day-3 21-06-13	Day-4 22-06-13	Day-5 23-06-13
Rain fall (mm)	45	5	3	0	0
Maximum temperature °C	30	30	31	31	30
Minimum temperature °C	28	28	28	28	28
Cloud cover (Okta)	6	3	3	4	4
RH % (Morning/After noon)	80/73	79/68	80/70	80/71	81/71
Wind speed (Kmph)	020	017	022	024	024
Wind direction(Deg)	231	234	234	243	239

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Groundnut	Sowing	<ul style="list-style-type: none">- After vapsa condition, sowing of groundnut should be carried out.- Select variety like GAUG-10, GG-11, 12 or GG13 for sowing purpose.- Keep seed rate 80-100 kg/ha.- Apply fertilizer @12.5 -25 -0 NPK kg/ha at the time of sowing.
Cotton	Sowing	<ul style="list-style-type: none">- After vapsa condition, sowing of cotton should be carried out.- Keep seed rate 2 - 2.5 kg/ha and sowing distance should be kept 120cm x 60cm.
Pulses	Sowing	<ul style="list-style-type: none">- After vapsa condition, sowing of pulses should be carried out.