

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન

( સમય તા : ૨૭.૦૨.૧૩ થી ૦૩.૦૩.૧૩ )

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	૦૦૦.૦
મહત્તમ તાપમાન (સે.ગે.)	૩૩.૦
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૧૮.૧
ભેજ(%) (સવાર/બપોરબાદ)	૫૭-૧૮
પવનની ગતિ (કિમી/કલાક)	૬.૩

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી ( તા.૦૩.૦૩.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૨૭.૦૨.૧૩	૦	૦
	૨૮.૦૨.૧૩	૦	૦
	૦૧.૦૩.૧૩	૦	૦
	૦૨.૦૩.૧૩	૦	૦
	૦૩.૦૩.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૨૭.૦૨.૧૩	૩૧	૩૨
	૨૮.૦૨.૧૩	૩૧	૩૨
	૦૧.૦૩.૧૩	૩૨	૩૩
	૦૨.૦૩.૧૩	૩૪	૩૪
	૦૩.૦૩.૧૩	૩૫	૩૪
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૭.૦૨.૧૩	૧૮	૧૭
	૨૮.૦૨.૧૩	૧૯	૧૭
	૦૧.૦૩.૧૩	૨૦	૧૮
	૦૨.૦૩.૧૩	૨૦	૧૯
	૦૩.૦૩.૧૩	૨૧	૨૦
વાદળની સ્થિતિ (ઓકટા)	૨૭.૦૨.૧૩	ચોખ્ખું	ચોખ્ખું
	૨૮.૦૨.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૧.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૨.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૩.૦૩.૧૩	ચોખ્ખું	ચોખ્ખું
મહત્તમ ભેજ (%)	૨૭.૦૨.૧૩	૭૨	૮૦
	૨૮.૦૨.૧૩	૫૨	૬૭
	૦૧.૦૩.૧૩	૨૮	૧૯

	૦૨.૦૩.૧૩	26	17
	૦૩.૦૩.૧૩	23	17
લઘુત્તમ ભેજ (%)	૨૭.૦૨.૧૩	48	46
	૨૮.૦૨.૧૩	28	16
	૦૧.૦૩.૧૩	19	13
	૦૨.૦૩.૧૩	16	10
	૦૩.૦૩.૧૩	13	10
પવનની ગતિ (કિમી/કલાક)	૨૭.૦૨.૧૩	020	011
	૨૮.૦૨.૧૩	022	014
	૦૧.૦૩.૧૩	023	016
	૦૨.૦૩.૧૩	023	017
	૦૩.૦૩.૧૩	020	013
પવનની દિશા (ડીગ્રી)	૨૭.૦૨.૧૩	333	345
	૨૮.૦૨.૧૩	315	180
	૦૧.૦૩.૧૩	24	24
	૦૨.૦૩.૧૩	37	36
	૦૩.૦૩.૧૩	35	33

પત્રક-ક

જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	ઉનાળુ મગ	- ઉનાળુ મગનુ વાવેતર ૧૫ માર્ચ સુધીમાં કરવુ. - મગની સુધરેલી જાતો જેવી કે કે-૮૫૧ અથવા મગ ગુજરાત-૩ પસંદ કરી બિયારણ નો દર ૨૫ કિગ્રા/હેકટર રાખવો. - પાકને વાવતી વખતે હેકટરે ૨૦ કિગ્રા નાઈટ્રોજન ૪૦ કિગ્રા ફોસ્ફરસ આપવો એટલે કે હેકટરે ૮૭ કિગ્રા ડિએપી અને ૧૦ કિગ્રા યુરીયા આપવુ.
	ઘઉં	- ઘઉંના પાકની સમયસર કાપણી કરવી.
	ઉનાળુ મગફળી	- જો પિયતની પુરતી સગવડ હોય તો ઉનાળુ મગફળી ની જાતો જેવી કે જી.જી.-૨, જી.જી.-૪ અથવા ટીજી-૨૬ નુ વાવેતર કરવુ
	આંબા	- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવુ.

## Junagadh

Phone: 0285-2670139

Date: 26-02-2013

(Period 27 February to 03 March -2013)

### Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	32.0-34.5
Minimum temperature °C	14.4-20.8
RH % (Morning/Afternoon)	57-18
Wind speed (Kmph)	6.3
Cloud cover	0

### Weather forecast for Junagadh Dist. until 0830 hrs of 03-03-2013

Parameters	Day-1 27-02-13	Day-2 28-02-13	Day-3 01-03-13	Day-4 02-03-13	Day-5 03-03-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	31	31	32	34	35
Minimum temperature °C	18	19	20	20	20
Cloud cover (Okta)	0	0	0	0	0
RH % (Morning/After noon)	72-48	52-28	28-19	26-16	23-13
Wind speed (Kmph)	020	022	023	023	020
Wind direction(Deg)	333	315	24	37	35

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Summer Moong	-	<ul style="list-style-type: none"> <li>- Sowing operation of summer moong should be completed up to 15<sup>th</sup> March.</li> <li>- Select the variety either K-851 or Moong Gujarat-3 for summer sowing and keep the seed rate 25 kg/ha.</li> <li>- Apply 20 kg N and 40 kg P2O5 at the time of sowing (i.e. 87 kg DAP/ha and 10 kg urea/ha)</li> </ul>
Wheat	Maturity	<ul style="list-style-type: none"> <li>- Crop should be harvested at the maturity stage.</li> </ul>
Summer Groundnut	-	<ul style="list-style-type: none"> <li>- If irrigation facility is available, sowing operation should be carried out by selecting variety either GG-2, GG-5 or TG- 26.</li> </ul>
Mango	-	<ul style="list-style-type: none"> <li>- Apply irrigation at an interval of 10 to 12 days.</li> </ul>

## Porbandar

Phone : 0285-2670139

Date : 26-02-2013

(Period 27 February to 03 March -2013)

### Weather forecast for Porbandar Dist. until 0830 hrs of 03- 03-2013

Parameters	Day-1 27-02-13	Day-2 28-02-13	Day-3 01-03-13	Day-4 02-03-13	Day-5 03-03-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature <sup>0</sup> C	32	32	33	34	34
Minimum temperature <sup>0</sup> C	17	17	18	19	20
Cloud cover (Okta)	0	0	0	0	0
RH % (Morning/After noon)	80-46	67-16	19-13	17-10	17-10
Wind speed (Kmph)	011	014	016	017	013
Wind direction(Deg)	345	180	24	36	33

### Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Summer Moong	-	<ul style="list-style-type: none"> <li>- Sowing operation of summer moong should be completed up to 15<sup>th</sup> March.</li> <li>- Select the variety either K-851 or Moong Gujarat-3 for summer sowing and keep the seed rate 25 kg/ha.</li> <li>- Apply 20 kg N and 40 kg P2O5 at the time of sowing (i.e. 87 kg DAP/ha and 10 kg urea/ha)</li> </ul>
Wheat	Maturity	<ul style="list-style-type: none"> <li>- Crop should be harvested at the maturity stage.</li> </ul>
Summer Groundnut	-	<ul style="list-style-type: none"> <li>- If irrigation facility is available, sowing operation should be carried out by selecting variety either GG-2, GG-5 or TG- 26.</li> </ul>
Mango	-	<ul style="list-style-type: none"> <li>- Apply irrigation at an interval of 10 to 12 days.</li> </ul>