

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા : ૨૭.૦૪.૧૩ થી ૦૧.૦૫.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગે.)	40.1
લઘુતમ તાપમાન (સે.ગ્રે.)	24.3
ભેજ(%) (સવાર/બપોરબાદ)	79-24
પવનની ગતિ (કિમી/કલાક)	6.7

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૦૧.૦૫.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૨૭.૦૪.૧૩	૦	૦
	૨૮.૦૪.૧૩	૦	૦
	૨૯.૦૪.૧૩	૦	૦
	૩૦.૦૪.૧૩	૦	૦
	૦૧.૦૫.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૨૭.૦૪.૧૩	૪૦	૩૯
	૨૮.૦૪.૧૩	૪૧	૪૦
	૨૯.૦૪.૧૩	૪૧	૪૦
	૩૦.૦૪.૧૩	૩૯	૪૦
	૦૧.૦૫.૧૩	૪૧	૪૦
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૭.૦૪.૧૩	૨૭	૨૫
	૨૮.૦૪.૧૩	૨૭	૨૬
	૨૯.૦૪.૧૩	૨૮	૨૬
	૩૦.૦૪.૧૩	૨૮	૨૭
	૦૧.૦૫.૧૩	૨૮	૨૭
વાદળની સ્થિતિ (ઓકટા)	૨૭.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૨૮.૦૪.૧૩	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૨૯.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૩૦.૦૪.૧૩	ચોખ્ખું	ચોખ્ખું
	૦૧.૦૫.૧૩	ચોખ્ખું	મોટેભાગે ચોખ્ખું
મહત્તમ ભેજ (%)	૨૭.૦૪.૧૩	૭૩	૭૫
	૨૮.૦૪.૧૩	૭૩	૭૩
	૨૯.૦૪.૧૩	૭૭	૭૭
	૩૦.૦૪.૧૩	૭૭	૭૭
	૦૧.૦૫.૧૩	૬૭	૬૯
લઘુત્તમ ભેજ (%)	૨૭.૦૪.૧૩	૫૫	૪૫
	૨૮.૦૪.૧૩	૫૫	૪૯
	૨૯.૦૪.૧૩	૫૭	૫૨
	૩૦.૦૪.૧૩	૬૧	૫૯
	૦૧.૦૫.૧૩	૫૧	૪૩
પવનની ગતિ (કિમી/કલાક)	૨૭.૦૪.૧૩	૦૨૫	૦૨૪
	૨૮.૦૪.૧૩	૦૨૨	૦૨૧
	૨૯.૦૪.૧૩	૦૨૨	૦૨૦
	૩૦.૦૪.૧૩	૦૧૯	૦૧૭
	૦૧.૦૫.૧૩	૦૨૦	૦૧૯
પવનની દિશા (ડીગ્રી)	૨૭.૦૪.૧૩	૩૨૮	૩૨૮
	૨૮.૦૪.૧૩	૩૧૩	૩૧૪
	૨૯.૦૪.૧૩	૨૯૧	૨૮૯
	૩૦.૦૪.૧૩	૩૦૫	૩૦૫
	૦૧.૦૫.૧૩	૩૧૧	૩૧૦

પત્રક-ક

જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	શેરડી	- જમીનની પ્રત ધ્યાને લઈ ૮ થી ૧૦ દિવસે પિયત આપવું.
	ઉનાળુ મગફળી	- ઉનાળુ મગફળી ના પાકને સુયા બેસવાની અવસ્થાએ અવશ્ય પિયત આપવું.
	ઉનાળુ મગ	- પાકને જરૂરીયાત મુજબ પિયત આપવું.
	ઉનાળુ ગુવાર	- પાકમાં આવતા ભુકીછારા રોગનાં નિયંત્રણ માટે હેકઝાકોનેઝોલ ૧૦ મીલી ૧૦ લીટર પાણીમાં મિશ્ર કરી છંટકાવ કરવો.
	આંબા	- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવું.

JUNAGADH

Phone: 0285-2670139

Date: 26-04-2013

(Period 27 April to 01May -2013)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	39.0-40.6
Minimum temperature °C	24.0-26.5
RH % (Morning/Afternoon)	79-24
Wind speed (Kmph)	5.7-7.5
Cloud cover	0-2

Weather forecast for Junagadh Dist. until 08:30 hrs of 01- 05-2013

Parameters	Day-1 27-04-13	Day-2 28-04-13	Day-3 29-04-13	Day-4 30-04-13	Day-5 01-05-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	40	41	41	39	41
Minimum temperature °C	27	27	28	28	28
Cloud cover (Okta)	0	1	0	0	0
RH % (Morning/After noon)	73-55	73-55	77-57	77-61	67-51
Wind speed (Kmph)	025	022	022	019	020
Wind direction(Deg)	328	313	291	305	311

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Pegging/Podding	- Apply irrigation at flowering and pegging stages.
Summer Cluster bean	Flowering	- For the control of powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.
Green gram	Podding	- Apply irrigation as when required.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.

PORBANDAR

Phone : 0285-2670139

Date : 26-04-2013

(Period 27 April to 01 May -2013)

Weather forecast for Porbandar Dist. until 08:30 hrs of 01- 05-2013

Parameters	Day-1 27-04-13	Day-2 28-04-13	Day-3 29-04-13	Day-4 30-04-13	Day-5 01-05-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	39	40	40	40	40
Minimum temperature °C	25	26	26	27	27
Cloud cover (Okta)	0	1	0	0	1
RH % (Morning/After noon)	75-45	73-49	77-52	77-59	69-43
Wind speed (Kmph)	024	021	020	017	019
Wind direction(Deg)	328	314	289	305	310

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Pegging/Podding	- Apply irrigation at flowering and pegging stages.
Summer Cluster bean	Flowering	- For the control of powdery mildew disease, spray Hexaconazole 10 ml in 10 lit of water.
Green gram	Podding	- Apply irrigation as when required.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days.