

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા: ૨૯.૦૨.૧૨ થી ૪.૦૩.૧૨)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગ્રે.)	35.2
લઘુત્તમ તાપમાન (સે.ગ્રે.)	12.4
ભેજ(%) (સવાર/બપોરબાદ)	78-52
પવનની ગતિ (કિમી/કલાક)	6.5

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૪.૦૩.૧૨ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૨૯.૦૨.૧૨	૦	૦
	૧.૦૩.૧૨	૦	૦
	૨.૦૩.૧૨	૦	૦
	૩.૦૩.૧૨	૦	૦
	૪.૦૩.૧૨	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૨૯.૦૨.૧૨	૩૪	૩૨
	૧.૦૩.૧૨	૩૩	૩૨
	૨.૦૩.૧૨	૩૩	૩૧
	૩.૦૩.૧૨	૩૪	૩૨
	૪.૦૩.૧૨	૩૪	૩૧
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૯.૦૨.૧૨	૧૭	૧૬
	૧.૦૩.૧૨	૧૭	૧૬
	૨.૦૩.૧૨	૧૭	૧૫
	૩.૦૩.૧૨	૧૮	૧૬
	૪.૦૩.૧૨	૧૮	૧૬
વાદળની સ્થિતિ (ઓકટા)	૨૯.૦૨.૧૨	અંશત: વાદળછાયું	અંશત: વાદળછાયું
	૧.૦૩.૧૨	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૨.૦૩.૧૨	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૩.૦૩.૧૨	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
	૪.૦૩.૧૨	મોટેભાગે ચોખ્ખું	મોટેભાગે ચોખ્ખું
મહત્તમ ભેજ (%)	૨૯.૦૨.૧૨	૭૦	૭૮
	૧.૦૩.૧૨	૭૭	૮૧
	૨.૦૩.૧૨	૮૮	૯૦
	૩.૦૩.૧૨	૮૧	૮૮
	૪.૦૩.૧૨	૮૦	૮૬
લઘુત્તમ ભેજ (%)	૨૯.૦૨.૧૨	૩૧	૩૭
	૧.૦૩.૧૨	૪૧	૪૪
	૨.૦૩.૧૨	૪૫	૪૨
	૩.૦૩.૧૨	૪૮	૫૦
	૪.૦૩.૧૨	૪૬	૫૦
પવનની ગતિ (કિમી/કલાક)	૨૯.૦૨.૧૨	૦૧૫	૦૧૫
	૧.૦૩.૧૨	૦૧૫	૦૧૫
	૨.૦૩.૧૨	૦૧૩	૦૧૩
	૩.૦૩.૧૨	૦૧૫	૦૧૫
	૪.૦૩.૧૨	૦૧૨	૦૧૧
પવનની દિશા (ડીગ્રી)	૨૯.૦૨.૧૨	૩૧૫	૩૦૬
	૧.૦૩.૧૨	૩૦૮	૩૦૦
	૨.૦૩.૧૨	૩૧૬	૩૦૬
	૩.૦૩.૧૨	૩૩૦	૩૨૫
	૪.૦૩.૧૨	૩૦૭	૨૯૬

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
	લસણ	૧. પાકમા સમયસર નિંદામણ કરવું. ૨. ગાંઠીયાના વિકાસ સમયે અવશ્ય પિયત આપવું. ૩. પાનના સુકારા રોગના નિયંત્રણ માટે મેન્કોઝેબ ૨૫ ગ્રામ ૧૦ લીટર પાણી મા ભેળવી છંટકાવ કરવો.
	ઘઉં	૧. પરીપકવ અવસ્થાએ પિયત આપવાનું બંધ કરવું. વધુ પિયત આપવાથી દાણા પોટીયા થઈ જાય છે અને દાણાની ગુણવત્તા બગડે છે.
	ઉનાળુ મગ	૧. ઉનાળુ મગનું વાવેતર ૧૫ માર્ચ સુધીમા કરી લેવું. વાવતા પહેલા ૧ કિગ્રા. બીજ દીઠ ૩ ગ્રામ મન્કોઝેબનો પટ આપવો. પાકની વાવણી સમયે પાયાના ખાતર તરીકે હેક્ટરે ૮૭ કિગ્રા. ડી.એ.પી. અને ૧૦ કિગ્રા. યુરીયા આપવું.

Junagadh

Phone : 0285-2670139

Date :28-02-2012

(Period 29 February to 4 March -2012)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature ⁰ C	33.5-36.0
Minimum temperature ⁰ C	9.5-14.5
RH % (Morning/Afternoon)	78-52
Wind speed (Kmph)	5.6-8.2
Cloud cover	0

Weather forecast for Junagadh Dist. until 0830 hrs of 4-03-2012

Parameters	Day-1 29-02-2012	Day-2 01-03-12	Day-3 02-03-12	Day-4 03-03-12	Day-5 04-03-2012
Rain fall (mm)	0	0	0	0	0
Maximum temperature ⁰ C	34	33	33	34	34
Minimum temperature ⁰ C	17	17	17	18	18
Cloud cover (Okta)	3	2	1	1	1
RH % (Morning/After noon)	70-31	77-41	88-45	82-48	80-46
Wind speed (Kmph)	015	013	013	015	011
Wind direction(Deg)	315	308	316	330	307

Agro meteorological Advisories47

Crop	Stage	Agromet Advisories
Summer Moong	-	1) Summer moong should be sown before 15th March. 2) Before sowing the seed should be treated with Mancozeb @ 3 gm./1 kg. Seed. 3) Apply 87 kg DAP and 10 kg Urea at the time of sowing.
Castor	Maturity	1) Apply irrigation as and when required..
Wheat	Maturity	1) Stop irrigation at the time of maturity of wheat.
Mango and Sapota	-	1) Apply irrigation to the crops at an interval of 8-10 days.

Porbandar

Phone : 0285-2670139

Date : 028-02-2012

(Period 29 February to 4 March -2012)

Weather forecast for Porbandar Dist. until 0830 hrs of 4-03-12

Parameters	Day-1 29-02-2012	Day-2 01-03-12	Day-3 02-03-12	Day-4 03-03-12	Day-5 04-03-2012
Rain fall (mm)	0	0	0	0	0
Maximum temperature ⁰ C	32	32	31	32	32
Minimum temperature ⁰ C	16	16	15	16	16
Cloud cover (Okta)	3	1	1	1	1
RH % (Morning/After noon)	78-37	81-44	90-51	88-50	86-50
Wind speed (Kmph)	015	013	013	015	011
Wind direction(Deg)	306	300	306	325	296

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Summer Moong	-	4) Summer moong should be sown before 15th March. 5) Before sowing the seed should be treated with Mancozeb @ 3 gm./1 kg. Seed. 6) Apply 87 kg DAP and 10 kg Urea at the time of sowing.
Castor	Maturity	2) Apply irrigation as and when required..
Wheat	Maturity	2) Stop irrigation at the time of maturity of wheat.
Mango and Sapota	-	1) Apply irrigation to the crops at an interval of 8-10 days.