

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા : ૨૯.૦૫.૧૩ થી ૦૨.૦૬.૧૩)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગે.)	38.3
લઘુતમ તાપમાન (સે.ગ્રે.)	28.0
ભેજ(%) (સવાર/બપોરબાદ)	75/40
પવનની ગતિ (કિમી/કલાક)	14

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૦૨.૦૬.૧૩ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૨૯.૦૫.૧૩	૦	૦
	૩૦.૦૫.૧૩	૦	૦
	૩૧.૦૫.૧૩	૦	૦
	૦૧.૦૬.૧૩	૦	૦
	૦૨.૦૬.૧૩	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૨૯.૦૫.૧૩	૦	૦
	૩૦.૦૫.૧૩	૦	૦
	૩૧.૦૫.૧૩	૦	૦
	૦૧.૦૬.૧૩	૦	૦
	૦૨.૦૬.૧૩	૦	૦
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૯.૦૫.૧૩	૩૮	૩૫
	૩૦.૦૫.૧૩	૩૮	૩૫
	૩૧.૦૫.૧૩	૩૯	૩૬
	૦૧.૦૬.૧૩	૩૯	૩૬
	૦૨.૦૬.૧૩	૩૯	૩૬
વાદળની સ્થિતિ (ઓકટા)	૨૯.૦૫.૧૩	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું
	૩૦.૦૫.૧૩	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું
	૩૧.૦૫.૧૩	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું
	૦૧.૦૬.૧૩	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું	અંશત: વાદળછાયુ મોટેભાગે ચોખ્ખું
	૦૨.૦૬.૧૩	મોટેભાગે વાદળછાયુ	મોટેભાગે વાદળછાયુ
મહત્તમ ભેજ (%)	૨૯.૦૫.૧૩	૮૪	૮૪
	૩૦.૦૫.૧૩	૮૩	૮૪
	૩૧.૦૫.૧૩	૮૬	૯૦
	૦૧.૦૬.૧૩	૮૮	૮૯
	૦૨.૦૬.૧૩	૮૫	૮૭
લઘુત્તમ ભેજ (%)	૨૯.૦૫.૧૩	૭૧	૬૮
	૩૦.૦૫.૧૩	૭૩	૬૬
	૩૧.૦૫.૧૩	૭૨	૬૪
	૦૧.૦૬.૧૩	૭૫	૬૮
	૦૨.૦૬.૧૩	૮૧	૭૬
પવનની ગતિ (કિમી/કલાક)	૨૯.૦૫.૧૩	૦૨૧	૦૧૭
	૩૦.૦૫.૧૩	૦૨૦	૦૧૫
	૩૧.૦૫.૧૩	૦૧૭	૦૧૧
	૦૧.૦૬.૧૩	૦૧૫	૦૦૯
	૦૨.૦૬.૧૩	૦૧૧	૦૦૭
પવનની દિશા (ડીગ્રી)	૨૯.૦૫.૧૩	૨૭૩	૨૭૬
	૩૦.૦૫.૧૩	૨૮૦	૨૮૦
	૩૧.૦૫.૧૩	૨૯૦	૨૯૭
	૦૧.૦૬.૧૩	૨૮૨	૨૮૯
	૦૨.૦૬.૧૩	૨૩૯	૨૩૮

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	શેરડી	- જમીનની પ્રત ધ્યાને લઈ ૮ થી ૧૦ દિવસે પિયત આપવું.
	ઉનાળુ મગફળી	- પાક પરીપકવ થાય એટલે સમયસર તેની કાપણી કરવી.
	ઉનાળુ ગુવાર	- પાક પરીપકવ થાય એટલે સમયસર તેની કાપણી કરવી.
	આંબા	- આંબાવાડિયામાં ૧૦ થી ૧૨ દિવસે પિયત આપવું. - પરીપકવ કેરી ઉતારી અને ગ્રેડીંગ કરી બજારમા મોકલવી.

JUNAGADH

Phone: 0285-2670139

Date: 28-05-2013

(Period 29 May to 02 June -2013)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature °C	38.1-38.5
Minimum temperature °C	28
RH % (Morning/Afternoon)	75-40
Wind speed (Kmph)	14.8-13.4
Cloud cover	1-2

Weather forecast for Junagadh Dist. until 08:30 hrs of 02- 06-2013

Parameters	Day-1 29-05-13	Day-2 30-05-13	Day-3 31-05-13	Day-4 01-06-13	Day-5 02-06-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	38	38	39	39	39
Minimum temperature °C	27	27	28	28	29
Cloud cover (Okta)	3	2	3	2	7
RH % (Morning/After noon)	84/71	83/73	86/72	88/75	85/81
Wind speed (Kmph)	021	020	017	015	011
Wind direction(Deg)	273	280	290	282	239

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Pod development	- Timely harvest the crop at maturity stage..
Summer Cluster bean	Pod development	- Timely harvest the crop at maturity stage.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days. - The matured fruits should be harvested and after grading fruits should be sent to the market.

PORBANDAR

Phone : 0285-2670139

Date : 28-05-2013

(Period 29 May to 02 June -2013)

Weather forecast for Porbandar Dist. until 08:30 hrs of 02- 06-2013

Parameters	Day-1 29-05-13	Day-2 30-05-13	Day-3 31-05-13	Day-4 01-06-13	Day-5 02-06-13
Rain fall (mm)	0	0	0	0	0
Maximum temperature °C	35	35	36	36	36
Minimum temperature °C	28	28	27	27	27
Cloud cover (Okta)	3	2	2	2	6
RH % (Morning/After noon)	84/68	84/66	90/64	89/68	87/68
Wind speed (Kmph)	017	015	011	009	007
Wind direction(Deg)	276	280	297	289	238

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Sugarcane	Vegetative	- Apply irrigation at an interval of 8 to 10 days.
Summer Groundnut	Maturity	- Timely harvest the crop at maturity stage.
Summer Cluster bean	Maturity	- Timely harvest the crop at maturity stage.
Mango	Fruiting	- Apply irrigation at an interval of 10 to 12 days. - The matured fruits should be harvested and after grading fruits should be sent to the market.