

પત્રક—અ

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
(સમય તા : ૩૦.૦૬.૧૨ થી ૦૪.૦૭.૧૨)

પાછલા અઠવાડીયાનું હવામાન

હવામાન પરીબળો	કૃષિ આબોહવાકિય વિસ્તાર દક્ષિણ સૌરાષ્ટ્ર
વરસાદ (મીમી)	000.0
મહત્તમ તાપમાન (સે.ગ્રે.)	36.8
લઘુત્તમ તાપમાન (સે.ગ્રે.)	27.3
ભેજ(%) (સવાર/બપોરબાદ)	81-49
પવનની ગતિ (કિમી/કલાક)	12.4

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૦૪.૦૭.૧૨ સુધી)

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૩૦.૦૬.૧૨	૦	૦
	૦૧.૦૭.૧૨	૦	૦
	૦૨.૦૭.૧૨	૦	૦
	૦૩.૦૭.૧૨	૦	૦
	૦૪.૦૭.૧૨	૦	૦
મહત્તમ તાપમાન (સે.ગ્રે.)	૩૦.૦૬.૧૨	૩૪	૩૪
	૦૧.૦૭.૧૨	૩૫	૩૪
	૦૨.૦૭.૧૨	૩૪	૩૪
	૦૩.૦૭.૧૨	૩૪	૩૩
	૦૪.૦૭.૧૨	૩૩	૩૩
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૩૦.૦૬.૧૨	૨૯	૨૯
	૦૧.૦૭.૧૨	૨૯	૨૮
	૦૨.૦૭.૧૨	૨૯	૨૮
	૦૩.૦૭.૧૨	૨૯	૨૮
	૦૪.૦૭.૧૨	૨૯	૨૮
વાદળની સ્થિતિ (ઓકટા)	૩૦.૦૬.૧૨	મોટેભાગે ચોખ્ખ	મોટેભાગે ચોખ્ખ
	૦૧.૦૭.૧૨	મોટેભાગે ચોખ્ખ	મોટેભાગે ચોખ્ખ
	૦૨.૦૭.૧૨	મોટેભાગે ચોખ્ખુ	મોટેભાગે ચોખ્ખુ
	૦૩.૦૭.૧૨	મોટેભાગે ચોખ્ખુ	મોટેભાગે ચોખ્ખુ
	૦૪.૦૭.૧૨	અંશત વાદળછાયુ	અંશત વાદળછાયુ
મહત્તમ ભેજ (%)	૩૦.૦૬.૧૨	૮૦	૭૮
	૦૧.૦૭.૧૨	૭૬	૭૫
	૦૨.૦૭.૧૨	૭૭	૭૭
	૦૩.૦૭.૧૨	૭૮	૭૮
	૦૪.૦૭.૧૨	૭૮	૭૯
લઘુત્તમ ભેજ (%)	૩૦.૦૬.૧૨	૬૬	૬૭
	૦૧.૦૭.૧૨	૬૪	૬૬
	૦૨.૦૭.૧૨	૬૮	૭૦
	૦૩.૦૭.૧૨	૭૧	૭૩
	૦૪.૦૭.૧૨	૭૩	૭૫
પવનની ગતિ (કિમી/કલાક)	૩૦.૦૬.૧૨	૦૨૦	૦૨૦
	૦૧.૦૭.૧૨	૦૨૨	૦૨૨
	૦૨.૦૭.૧૨	૦૨૦	૦૨૨
	૦૩.૦૭.૧૨	૦૨૬	૦૨૬
	૦૪.૦૭.૧૨	૦૩૩	૦૩૩
પવનની દિશા (ડીગ્રી)	૩૦.૦૬.૧૨	૨૬૦	૨૫૪
	૦૧.૦૭.૧૨	૨૬૦	૨૫૪
	૦૨.૦૭.૧૨	૨૬૫	૨૬૧
	૦૩.૦૭.૧૨	૨૫૫	૨૫૨
	૦૪.૦૭.૧૨	૨૪૭	૨૪૪

પત્રક-ક
જિલ્લાવાર કૃષિ સલાહ

ખેત આબોહવાકિય વિસ્તાર	પાકનું નામ	કૃષિ સલાહ
દક્ષિણ સૌરાષ્ટ્ર	ખરીફ પાકો	- ચોમાસુ પાકોનું બિયારણ,ખાતર,દવા વગેરે સમયસર મેળવી લેવું અને વાવણીલાયક વરસાદ થયે વાવેતર હાથ ધરવું .
	ખરીફ પાકો	- ચોમાસુ પાકોનું વાવેતર બિયારણ ને ફુગનાશક દવા જેવીકે મેન્કોઝેબ થાયરમ કે કેપ્ટન દવા એક કિલો દિઠ ૨.૫ થી ૩ ગ્રામ પ્રમાણે આપી વાવેતર કરવું.
	મગફળી અને કપાસ	- પ્રિમોનસુન વાવેતર કરેલ મગફળી ના પાકમા આંતરખેડ કરવી તેમજ હાથ થી નીંદામણ કરવું. - પ્રિમોનસુન વાવેતર કરેલ મગફળી અને કપાસના પાકોને જરૂર મુજબ પિયત આપવું.

Phone : 0285-2670139

Date :29-06-2012

(Period 30 June to 04 July -2012)

Significant weather for the preceding week

Rain fall (mm)	000.0
Maximum temperature ⁰ C	36.7-37.2
Minimum temperature ⁰ C	26.8-28.0
RH % (Morning/Afternoon)	84-49
Wind speed (Kmph)	12.7-15.6
Cloud cover	2-4

Weather forecast for Junagadh Dist. until 0830 hrs of 04-07-2012

Parameters	Day-1 30-06- 2012	Day-2 01-07-12	Day-3 02-07-12	Day-4 03-07-12	Day-5 04-07-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature ⁰ C	34	35	34	34	33
Minimum temperature ⁰ C	29	29	29	29	29
Cloud cover (Okta)	1	1	2	2	3
RH % (Morning/After noon)	80-66	76-64	77-68	78-71	78-73
Wind speed (Kmph)	020	022	020	026	033
Wind direction(Deg)	260	260	265	255	247

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Kharif crops	--	- Procure the seed, fertilizer, and chemicals ets for timely sowing operation.
Kharif crops	--	- For kharif crops, before sowing the seeds should treated with fungicides like mencozeb, or thirum or captan @ 2.5 to 3.0 gm/1 kg of seeds.
Ground nut and cotton	--	- Inter culturing and hand weeding should be carried out in the pre-monsoon sown crop. - Apply irrigation can pre- monsoon sown crop.

Phone : 0285-2670139

Date : 29-06-2012

(Period 30 June to 04 July -2012)

Weather forecast for **Porbandar** Dist. until 0830 hrs of 04-07-2012

Parameters	Day-1 30-06- 2012	Day-2 01-07-12	Day-3 02-07-12	Day-4 03-07-12	Day-5 04-07-12
Rain fall (mm)	0	0	0	0	0
Maximum temperature ⁰ C	34	34	34	33	33
Minimum temperature ⁰ C	29	28	28	28	28
Cloud cover (Okta)	1	1	2	2	4
RH % (Morning/After noon)	78-67	75-66	77-70	78-73	79-75
Wind speed (Kmph)	020	022	022	026	033
Wind direction(Deg)	254	254	261	252	244

Agro meteorological Advisories

Crop	Stage	Agromet Advisories
Kharif crops	--	- Procure the seed, fertilizer, and chemicals ets for timely sowing operation.
Kharif crops	--	- For kharif crops, before sowing the seeds should treated with fungicides like mencozeb, or thirum or captan @ 2.5 to 3.0 gm/1 kg of seeds.
Ground nut and cotton	--	- Inter culturing and hand weeding should be carried out in the pre-monsoon sown crop. - Apply irrigation can pre- monsoon sown crop.
