

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન  
દક્ષિણ સૌરાષ્ટ્ર ખેત આબોહવાકીય વિભાગ  
તા. ૨૪-૦૬-૨૦૧૫ થી તા. ૨૮-૦૬-૨૦૧૫

(ગ્રામીણ કૃષિ મૌસમ સેવા, જુનાગઢ કૃષિ યુનિવર્સિટી, જુ.કૃ.યુ.)

હવામાન આગાહી આધારીત બુલેટીન : ૨૦૧૫

પાછલા અઠવાડીયાનું જુનાગઢનું હવામાન

હવામાન પરીબળો	દક્ષિણ સૌરાષ્ટ્ર કૃષિ આબોહવાકીય વિસ્તાર
વરસાદ (મીમી)	013.9
મહત્તમ તાપમાન (સે.ગે.)	34.4
લઘુતમ તાપમાન (સે.ગ્રે.)	26.1
ભેજ(%) (સવાર/બપોરબાદ)	85-82
પવનની ગતિ (કિમી/કલાક)	5.0

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી ( તા.૨૮-૦૬-૧૫ સુધી )

હવામાન પરીબળો	તારીખ	દક્ષિણ સૌરાષ્ટ્ર	
		જુનાગઢ	પોરબંદર
વરસાદ (મીમી)	૨૪.૦૬.૧૫	200	200
	૨૫.૦૬.૧૫	174	174
	૨૬.૦૬.૧૫	56	56
	૨૭.૦૬.૧૫	0	0
	૨૮.૦૬.૧૫	0	0
મહત્તમ તાપમાન (સે.ગ્રે.)	૨૪.૦૬.૧૫	30	33
	૨૫.૦૬.૧૫	30	33
	૨૬.૦૬.૧૫	29	34
	૨૭.૦૬.૧૫	30	35
	૨૮.૦૬.૧૫	30	35
લઘુત્તમ તાપમાન (સે.ગ્રે.)	૨૪.૦૬.૧૫	27	29
	૨૫.૦૬.૧૫	27	28
	૨૬.૦૬.૧૫	28	29
	૨૭.૦૬.૧૫	28	29
	૨૮.૦૬.૧૫	28	29
વાદળની સ્થિતિ (ઓકટા)	૨૪.૦૬.૧૫	વાદળછાયુ	વાદળછાયુ
	૨૫.૦૬.૧૫	વાદળછાયુ	વાદળછાયુ
	૨૬.૦૬.૧૫	વાદળછાયુ	વાદળછાયુ
	૨૭.૦૬.૧૫	વાદળછાયુ	વાદળછાયુ
	૨૮.૦૬.૧૫	વાદળછાયુ	વાદળછાયુ
મહત્તમ ભેજ (%)	૨૪.૦૬.૧૫	81	81
	૨૫.૦૬.૧૫	82	82
	૨૬.૦૬.૧૫	83	83
	૨૭.૦૬.૧૫	83	83
	૨૮.૦૬.૧૫	83	82
લઘુત્તમ ભેજ (%)	૨૪.૦૬.૧૫	72	71
	૨૫.૦૬.૧૫	74	74
	૨૬.૦૬.૧૫	81	80
	૨૭.૦૬.૧૫	78	79
	૨૮.૦૬.૧૫	77	76
પવનની ગતિ (કિમી/કલાક)	૨૪.૦૬.૧૫	055	054
	૨૫.૦૬.૧૫	054	055
	૨૬.૦૬.૧૫	042	042
	૨૭.૦૬.૧૫	040	039
	૨૮.૦૬.૧૫	033	031
પવનની દિશા (ડીગ્રી)	૨૪.૦૬.૧૫	228	222
	૨૫.૦૬.૧૫	229	228
	૨૬.૦૬.૧૫	241	241
	૨૭.૦૬.૧૫	246	246
	૨૮.૦૬.૧૫	240	239

## દક્ષિણ ખેત આબોહવાકિય વિસ્તાર (જિલ્લાવાર કૃષિ સલાહ)

પાકનું નામ	કૃષિ સલાહ
મગફળી	<ul style="list-style-type: none"> <li>❖ અગામી પાચ દિવસ દરમ્યાન ભારે થી અતિ ભારે વરસાદની આગાહી હોય જંતુનાશક તથા કુગનાશક દવાનો છંટકાવ મુલતવી રાખવો.</li> <li>❖ ખેતરમાથી વરસાદના વધારાના પાણીના નિકાલની વ્યવસ્થા કરવી.</li> </ul>
કપાસ	<ul style="list-style-type: none"> <li>❖ અગામી પાચ દિવસ દરમ્યાન ભારે થી અતિ ભારે વરસાદની આગાહી હોય જંતુનાશક તથા કુગનાશક દવાનો છંટકાવ મુલતવી રાખવો.</li> <li>❖ ખેતરમાથી વરસાદના વધારાના પાણીના નિકાલની વ્યવસ્થા કરવી.</li> <li>❖ પાકને પિયત આપવાની કામગીરી મુલતવી રાખવી.</li> </ul>
તુવેર	<ul style="list-style-type: none"> <li>❖ અગામી પાચ દિવસ દરમ્યાન ભારે થી અતિ ભારે વરસાદની આગાહી હોય જંતુનાશક તથા કુગનાશક દવાનો છંટકાવ મુલતવી રાખવો.</li> </ul>
સોયાબીન	<ul style="list-style-type: none"> <li>❖ અગામી પાચ દિવસ દરમ્યાન ભારે થી અતિ ભારે વરસાદની આગાહી હોય જંતુનાશક તથા કુગનાશક દવાનો છંટકાવ મુલતવી રાખવો.</li> </ul>
પશુ પાલન	<ul style="list-style-type: none"> <li>❖ પશુઓને યોગ્ય આહાર આપવો.</li> <li>❖ પશુઓમાં ઈતરડીના નિયંત્રણ માટે ડેલ્ટામેથ્રીન અથવા એમીટાઝ ૨ મીલી/ ૧ લીટર પાણીમાં નાખીને છાટવી.</li> <li>❖ પશુમા કુટ અને માઉથ રોગના આવે તે માટે જરૂરી રશીકરણ કરાવવુ.</li> <li>❖ પશુઓને વરસાદના સમયે ખુલ્લામા, ઝાડ નીચેકે ઈલેક્ટ્રીક પોલ પાસે ન રાખતા શેડમાં બાંધવાની વ્યવસ્થા કરવી.</li> </ul>

## JUNAGADH

Phone: 0285-2670139

Date:- 23-06-2015

(Period from 24 to 28 June -2015)

### Significant weather for the preceding week

Rain fall (mm)	013.9
Maximum temperature °C	34.0-34.7
Minimum temperature °C	25.7-27.0
RH % (Morning/Afternoon)	85-82
Wind speed (Kmph)	1.8-8.3
Cloud cover	4-8

### Weather forecast for Junagadh Dist. until 08:30 hrs of 28-06-2015

Parameters	Day-1 24-06-15	Day-2 25-06-15	Day-3 26-06-15	Day-4 27-06-15	Day-5 28-06-15
Rain fall (mm)	200	174	56	0	0
Maximum temperature °C	30	30	29	30	30
Minimum temperature °C	27	27	28	28	28
Cloud cover (Okta)	8	8	8	8	7
RH % (Morning/After noon)	81-72	82-74	83-81	83-78	83-77
Wind speed (Kmph)	055	054	042	040	033
Wind direction(Deg)	228	229	241	246	240

### Agro meteorological Advisories

Crop	Stage	Insect/Pest/ Variety	Agromet Advisories
Groundnut	Sowing	GG-20, GG-11	<ul style="list-style-type: none"> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> <li>➤ Drain out excess water from the field.</li> </ul>
Cotton	Sowing	Bg-II GCH-6, 8, Mallika, Agit, Vikram-5, Uttam, etc...	<ul style="list-style-type: none"> <li>➤ In early sown crop, gap filling and thinning should be carried out after vapsa condition.</li> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> <li>➤ Post pond the irrigation.</li> </ul>
Soybean	Sowing	Gujarat Soybean-1,2,3	<ul style="list-style-type: none"> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> </ul>
Pigeon pea	Sowing	BDN-2, GTH-1	<ul style="list-style-type: none"> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> </ul>
Livestock	-	-	<ul style="list-style-type: none"> <li>➤ Do vaccination in animal for the prevention</li> </ul>

			<p>of FMD and other disease.</p> <ul style="list-style-type: none"><li>➤ Do not keep the animals in open during rainy weather condition.</li><li>➤ For the control of tick and other parasites, spray deltemethrin or aemitaz 2 ml in 1 litre of water.</li></ul>
--	--	--	---

## PORBANDAR

Phone : 0285-2670139

Date :19-06-2015

(Period from 24 to 28 June -2015)

Weather forecast for Junagadh Dist. until 08:30 hrs of 28-06-2015

Parameters	Day-1 24-06-15	Day-2 25-06-15	Day-3 26-06-15	Day-4 27-06-15	Day-5 28-06-15
Rain fall (mm)	200	174	56	0	0
Maximum temperature °C	33	33	34	35	35
Minimum temperature °C	29	28	29	29	29
Cloud cover (Okta)	8	8	8	8	7
RH % (Morning/After noon)	81-71	82-74	83-80	83-79	82-76
Wind speed (Kmph)	054	055	042	039	030
Wind direction(Deg)	222	228	241	246	239

### Agro meteorological Advisories

Crop	Stage	Insect/Pest/ Variety	Agromet Advisories
<b>Groundnut</b>	<b>Sowing</b>	<b>GG-20, GG-11</b>	<ul style="list-style-type: none"> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> <li>➤ Drain out excess water from the field.</li> </ul>
<b>Cotton</b>	<b>Sowing</b>	<b>Bg-II GCH-6, 8, Mallika, Agit, Vikram-5, Uttam, etc...</b>	<ul style="list-style-type: none"> <li>➤ In early sown crop, gap filling and thinning should be carried out after vapsa condition.</li> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> <li>➤ Post pond the irrigation.</li> </ul>
<b>Soybean</b>	<b>Sowing</b>	<b>Gujarat Soybean-1,2,3</b>	<ul style="list-style-type: none"> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> </ul>
<b>Pigeon pea</b>	<b>Sowing</b>	<b>BDN-2, GTH-1</b>	<ul style="list-style-type: none"> <li>➤ Due to forecasting of heavy to very heavy rainfall during next five days, do not apply any chemicals to the crop.</li> </ul>
<b>Livestock</b>	-	-	<ul style="list-style-type: none"> <li>➤ Do vaccination in animal for the prevention of FMD and other disease.</li> <li>➤ Do not keep the animals in open during rainy weather condition.</li> <li>➤ For the control of tick and other parasites, spray deltemethrin or aemitaz 2 ml in 1 litre of water.</li> </ul>