

હવામાન આગાહી આધારીત કૃષિ સલાહ બુલેટીન
દક્ષિણ સૌરાષ્ટ્ર ખેત આબોહવાકીય વિભાગ
તા. ૨૭-૦૬-૨૦૧૫ થી તા. ૦૧-૦૭-૨૦૧૫

(ગ્રામીણ કૃષિ મૌસમ સેવા, જુનાગઢ કૃષિ યુનિવર્સિટી, જુ.કૃ.યુ.)

હવામાન આગાહી આધારીત બુલેટીન : ૨૦૧૫

પાછલા અઠવાડીયાનું જુનાગઢનું હવામાન

| હવામાન પરીબળો | દક્ષિણ સૌરાષ્ટ્ર કૃષિ આબોહવાકીય વિસ્તાર |
|-------------------------|--|
| વરસાદ (મીમી) | 139.0 |
| મહત્તમ તાપમાન (સે.ગે.) | 31.6 |
| લઘુતમ તાપમાન (સે.ગ્રે.) | 25.8 |
| ભેજ(%) (સવાર/બપોરબાદ) | 93.90 |
| પવનની ગતિ (કિમી/કલાક) | 9.7 |

પત્રક-બ : જિલ્લાવાર હવામાન આગાહી (તા.૦૧-૦૭-૧૫ સુધી)

| હવામાન પરીબળો | તારીખ | દક્ષિણ સૌરાષ્ટ્ર | |
|---------------------------|----------|-------------------|-------------------|
| | | જુનાગઢ | પોરબંદર |
| વરસાદ (મીમી) | ૨૭.૦૬.૧૫ | ૦ | ૦ |
| | ૨૮.૦૬.૧૫ | ૦ | ૦ |
| | ૨૯.૦૬.૧૫ | ૦ | ૦ |
| | ૩૦.૦૬.૧૫ | ૦ | ૦ |
| | ૦૧.૦૬.૧૫ | ૦ | ૦ |
| મહત્તમ તાપમાન (સે.ગ્રે.) | ૨૭.૦૬.૧૫ | ૩૩ | ૩૩ |
| | ૨૮.૦૬.૧૫ | ૩૩ | ૩૩ |
| | ૨૯.૦૬.૧૫ | ૩૩ | ૩૩ |
| | ૩૦.૦૬.૧૫ | ૩૨ | ૩૨ |
| | ૦૧.૦૬.૧૫ | ૩૨ | ૩૨ |
| લઘુત્તમ તાપમાન (સે.ગ્રે.) | ૨૭.૦૬.૧૫ | ૨૮ | ૨૮ |
| | ૨૮.૦૬.૧૫ | ૨૮ | ૨૮ |
| | ૨૯.૦૬.૧૫ | ૨૮ | ૨૮ |
| | ૩૦.૦૬.૧૫ | ૨૮ | ૨૮ |
| | ૦૧.૦૬.૧૫ | ૨૮ | ૨૮ |
| વાદળની સ્થિતિ (ઓકટા) | ૨૭.૦૬.૧૫ | મોટેભાગે વાદળછાયુ | મોટેભાગે વાદળછાયુ |
| | ૨૮.૦૬.૧૫ | મોટેભાગે વાદળછાયુ | મોટેભાગે વાદળછાયુ |
| | ૨૯.૦૬.૧૫ | મોટેભાગે વાદળછાયુ | મોટેભાગે વાદળછાયુ |
| | ૩૦.૦૬.૧૫ | મોટેભાગે વાદળછાયુ | મોટેભાગે વાદળછાયુ |
| | ૦૧.૦૬.૧૫ | મોટેભાગે વાદળછાયુ | મોટેભાગે વાદળછાયુ |
| મહત્તમ ભેજ (%) | ૨૭.૦૬.૧૫ | ૮૬ | ૮૭ |
| | ૨૮.૦૬.૧૫ | ૮૬ | ૮૬ |
| | ૨૯.૦૬.૧૫ | ૮૫ | ૮૫ |
| | ૩૦.૦૬.૧૫ | ૮૬ | ૮૫ |
| | ૦૧.૦૬.૧૫ | ૮૪ | ૮૪ |
| લઘુત્તમ ભેજ (%) | ૨૭.૦૬.૧૫ | ૮૧ | ૮૧ |
| | ૨૮.૦૬.૧૫ | ૭૯ | ૭૯ |
| | ૨૯.૦૬.૧૫ | ૭૯ | ૮૦ |
| | ૩૦.૦૬.૧૫ | ૭૭ | ૭૭ |
| | ૦૧.૦૬.૧૫ | ૭૬ | ૭૫ |
| પવનની ગતિ (કિમી/કલાક) | ૨૭.૦૬.૧૫ | ૦૨૯ | ૦૨૫ |
| | ૨૮.૦૬.૧૫ | ૦૨૨ | ૦૨૦ |
| | ૨૯.૦૬.૧૫ | ૦૧૯ | ૦૧૮ |
| | ૩૦.૦૬.૧૫ | ૦૨૪ | ૦૨૩ |
| | ૦૧.૦૬.૧૫ | ૦૩૧ | ૦૨૮ |
| પવનની દિશા (ડીગ્રી) | ૨૭.૦૬.૧૫ | ૨૪૩ | ૨૪૧ |
| | ૨૮.૦૬.૧૫ | ૨૪૭ | ૨૪૬ |
| | ૨૯.૦૬.૧૫ | ૨૪૬ | ૨૪૧ |
| | ૩૦.૦૬.૧૫ | ૨૪૦ | ૨૩૮ |
| | ૦૧.૦૬.૧૫ | ૨૩૪ | ૨૩૦ |

દક્ષિણ ખેત આબોહવાકિય વિસ્તાર (જિલ્લાવાર કૃષિ સલાહ)

| પાકનું નામ | કૃષિ સલાહ |
|------------|---|
| મગફળી | ❖ અગામી પાચ દિવસ દરમ્યાન વરસાદની આગાહી ન હોય વરાપ થી પાકના વાવેતરની કામગીરી હાથ ધરવી. |
| કપાસ | ❖ અગામી પાચ દિવસ દરમ્યાન વરસાદની આગાહી ન હોય વરાપ થી પાકના વાવેતરની કામગીરી હાથ ધરવી. ❖ ઉગ્યાબાદ પાકના બે છોડ વચ્ચે અંતર રાખી પારવણી વખતે નબળા પામેલ છોડને દુર કરી નાશ કરવા. |
| તુવેર | ❖ અગામી પાચ દિવસ દરમ્યાન વરસાદની આગાહી ન હોય વરાપ થી પાકના વાવેતરની કામગીરી હાથ ધરવી. |
| સોયાબીન | ❖ અગામી પાચ દિવસ દરમ્યાન વરસાદની આગાહી ન હોય વરાપ થી પાકના વાવેતરની કામગીરી હાથ ધરવી. |
| પશુ પાલન | ❖ પશુઓને યોગ્ય આહાર આપવો. ❖ પશુઓમાં ઈતરડીના નિયંત્રણ માટે ડેલ્ટામેથ્રીન અથવા એમીટાઝ ૨ મીલી/ ૧ લીટર પાણીમાં નાખીને છાટવી. ❖ પશુમા ફુટ અને માઉથ રોગના આવે તે માટે જરૂરી રશીકરણ કરાવવું. ❖ પશુઓને વરસાદના સમયે ખુલ્લામાં, ઝાડ નીચેકે ઈલેક્ટ્રીક પોલ પાસે ન રાખતા શેડમાં બાંધવાની વ્યવસ્થા કરવી. |

JUNAGADH

Phone: 0285-2670139

Date:- 26-06-2015

(Period from 27 June to 01 July -2015)

Significant weather for the preceding week

| | |
|--------------------------|-----------|
| Rain fall (mm) | 139.0 |
| Maximum temperature °C | 28.8-34.0 |
| Minimum temperature °C | 25.0-27.0 |
| RH % (Morning/Afternoon) | 93-90 |
| Wind speed (Kmph) | 7.3-12.6 |
| Cloud cover | 8 |

Weather forecast for Junagadh Dist. until 08:30 hrs of 01-07-2015

| Parameters | Day-1 27-06-15 | Day-2 28-06-15 | Day-3 29-06-15 | Day-4 30-06-15 | Day-5 01-07-15 |
|---------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Rain fall (mm) | 0 | 0 | 0 | 0 | 0 |
| Maximum temperature °C | 33 | 33 | 33 | 32 | 32 |
| Minimum temperature °C | 28 | 28 | 28 | 28 | 28 |
| Cloud cover (Okta) | 7 | 5 | 6 | 6 | 7 |
| RH % (Morning/After noon) | 86-81 | 86-79 | 85-79 | 86-77 | 84-76 |
| Wind speed (Kmph) | 029 | 022 | 019 | 024 | 031 |
| Wind direction(Deg) | 243 | 247 | 246 | 240 | 234 |

Agro meteorological Advisories

| Crop | Stage | Insect/Pest/ Variety | Agromet Advisories |
|-------------------|---------------|---|---|
| Groundnut | Sowing | GG-20, GG-11 | ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Cotton | Sowing | Bg-II GCH-6, 8, Mallika, Agit, Vikram-5, Uttam, etc... | <ul style="list-style-type: none"> ➤ In crop, gap filling and thinning should be carried out. ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Soybean | Sowing | Gujarat Soybean-1,2,3 | ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Pigeon pea | Sowing | BDN-2, GTH-1 | ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Livestock | - | - | <ul style="list-style-type: none"> ➤ Do vaccination in animal for the prevention of FMD and other disease. ➤ Do not keep the animals in open during rainy weather condition. |

| | | | |
|--|--|--|--|
| | | | ➤ For the control of tick and other parasites, spray deltemethrin or aemitaz 2 ml in 1 litre of water. |
|--|--|--|--|

PORBANDAR

Phone : 0285-2670139

Date :26-06-2015

(Period from 27 June to 01 July -2015)

Weather forecast for Porbandar Dist. until 08:30 hrs of 01-07-2015

| Parameters | Day-1 27-06-15 | Day-2 28-06-15 | Day-3 29-06-15 | Day-4 30-06-15 | Day-5 01-07-15 |
|---------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Rain fall (mm) | 0 | 0 | 0 | 0 | 0 |
| Maximum temperature °C | 33 | 33 | 33 | 32 | 32 |
| Minimum temperature °C | 28 | 28 | 28 | 28 | 28 |
| Cloud cover (Okta) | 6 | 5 | 6 | 6 | 7 |
| RH % (Morning/After noon) | 87-81 | 86-79 | 85-80 | 85-77 | 84-75 |
| Wind speed (Kmph) | 025 | 020 | 018 | 023 | 028 |
| Wind direction(Deg) | 241 | 246 | 241 | 238 | 230 |

Agro meteorological Advisories

| Crop | Stage | Insect/Pest/ Variety | Agromet Advisories |
|-------------------|---------------|---|--|
| Groundnut | Sowing | GG-20, GG-11 | ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Cotton | Sowing | Bg-II GCH-6, 8, Mallika, Agit, Vikram-5, Uttam, etc... | <ul style="list-style-type: none"> ➤ In crop, gap filling and thinning should be carried out. ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Soybean | Sowing | Gujarat Soybean-1,2,3 | ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Pigeon pea | Sowing | BDN-2, GTH-1 | ➤ Due to no forecasting of rainfall during next five days, so apply chemicals and interculturing should be carried out. |
| Livestock | - | - | <ul style="list-style-type: none"> ➤ Do vaccination in animal for the prevention of FMD and other disease. ➤ Do not keep the animals in open during rainy weather condition. ➤ For the control of tick and other parasites, spray deltemethrin or aemitaz 2 ml in 1 litre of water. |